

The experimental investigations described above thus showed that sutureless anastomosis with the use of FG has undoubtedly advantages over anastomosis using a microsurgical technique (less marked adhesion formation and disturbance of patency of the anastomoses, a higher percentage of occurrence of pregnancy).

LITERATURE CITED

1. R. Baumann, M. Volk, and H.D. Taubert, *Geburts. Frauenheilk.*, **46**, No. 4, 234 (1986).
2. H. Ceuppens, *Plast. Reconst. Surg.*, **81**, No. 5, 815 (1988).
3. R. Dargenio, F. O. Ranelletti, C. Cimino, et al., *J. Reprod. Med.*, **31**, No. 10, 961 (1986).
4. R. Dargenio, F. O. Ranelletti, G. Tancredi, et al., *Eur. J. Obstet. Gynec. Reprod. Biol.*, **21**, No. 2, 173 (1988).
5. S. Lindenberg and G. Lauritzen, *Ann. Chir. Gynaec.*, **73**, 11 (1984).
6. H. Missell and B. Larsson, *Fertil. Steril.*, **30**, No. 4, 470 (1978).
7. P. H. Scheidel, D. R. Wallweiener, R. A. Wiedemann, and H. K. Hepp, *Fertil. Steril.*, **38**, No. 4, 471 (1982).
8. E. Schroeder, S. S. Sorensen, H. P. Olesen, and H. Pedersen, *Int. J. Fertil.*, **32**, No. 4, 325 (1987).
9. S. S. Sorensen, E. Schroeder, and H. P. Olesen, *Acta Obstet. Gynec. Scand.*, **66**, No. 7, 583 (1987).

OBITUARY



The Editorial Board of the Journal deeply regrets to announce the untimely death of Academician of the Academy of Medical Sciences of the USSR Artur Viktorovich Val'dman, eminent pharmacologist, member of the Editorial Board of the Journal, and Director of the Institute of Pharmacology, Academy of Medical Sciences of the USSR. Members of the Editorial Board and the Editorial Staff as a whole extend their condolences to Artur Viktorovich's relatives and friends.