

Erratum

National Computer Systems (NCS), the distributor for MMPI and MMPI-2 materials, recently announced that Table K-1 in the *Manual for Administration and Scoring of the MMPI-2* had several incorrect entries. Unfortunately Tables I and II in my article, "Interpretive Dilemmas Created by the Minnesota Multiphasic Personality Inventory 2 (MMPI-2)" (*J. Psychopathol. Behav. Assess.*, Vol. 13, No. 1, 1991, pp. 53-59), were based on Table K-1. Therefore, it has been necessary for me to revise my two tables in accordance with the changes reported by NCS. The revised Tables I and II are presented below.

Table I. *T* Score (*K*-Corrected) Differences Between MMPI-2 and MMPI (Males)^a

MMPI-2 <i>T</i> score	L	F	K	Hs	D	Hy	Pd	Mf	Pa	Pt	Sc	Ma	Si
40	-1	-9	-7	-5	-8	-9	-8	-13	-8	-7	-8	-7	-2
42	-1	-8	-6	-5	-9	-9	-8	-13	-8	-7	-8	-7	-2
44	0	-8	-6	-4	-8	-10	-9	-13	-7	-8	-7	-8	-2
46	1	-8	-6	-4	-9	-9	-9	-13	-7	-7	-8	-8	-1
48	2	-7	-6	-4	-9	-9	-9	-13	-7	-7	-8	-9	-1
50	2	-7	-6	-3	-8	-8	-10	-14	-7	-7	-8	-9	-1
52	2	-6	-6	-3	-8	-8	-10	-15	-6	-7	-8	-10	-1
54	3	-5	-5	-3	-9	-8	-10	-15	-6	-7	-8	-10	0
56	3	-5	-5	-3	-9	-7	-10	-15	-5	-7	-9	-9	0
58	4	-4	-4	-3	-9	-6	-10	-15	-5	-7	-9	-9	-2
60	5	-3	-4	-3	-9	-6	-10	-14	-4	-7	-9	-9	-1
62	5	-3	-4	-3	-10	-6	-9	-14	-4	-7	-9	-8	-1
64	5	-2	-4	-3	-11	-5	-10	-14	-3	-7	-9	-8	-1
66	5	-1	-4	-4	-11	-5	-9	-14	-2	-7	-9	-8	-1
68	6	-1	-4	-4	-12	-4	-10	-14	-2	-7	-9	-7	0
70	7	0	-4	-5	-12	-4	-10	-14	-1	-7	-10	-6	0
72	8	0	-3	-5	-12	-3	-9	-14	-1	-7	-10	-6	0
74	8	0	-2	-5	-13	-2	-9	-14	-1	-7	-10	-6	1
76	8	0	-2	-5	-13	-2	-9	-14	-1	-6	-11	-6	1
78	8	1	-2	-6	-14	-1	-9	-14	0	-6	-11	-5	1
80	9	1	-2	-7	-14	-1	-9	-15	0	-6	-11	-5	1
82	10	2		-7	-15	-1	-8	-15	1	-6	-12	-4	2
84	10	3		-6	-16	0	-9	-15	1	-6	-12	-3	2
86	11	3		-7	-17	0	-8	-15	1	-6	-11	-3	2
88	11	4		-7	-17	1	-8	-15	2	-6	-12	-3	3
90	11	5		-8	-17	2	-7	-15	2	-6	-12	-2	3
92	12	6		-8	-18	2	-8	-15	3	-6	-12	-2	3
94	12	7		-9	-18	3	-7	-15	3	-5	-13	-2	3
96	13	7		-9	-19	3	-7	-15	3	-5	-13	-1	4
98	14	8		-9	-20	4	-7	-15	3	-5	-13	0	4
100	14	9		-10	-20	5	-7	-15	4	-5	-14	0	4

^aNegative numbers represent instances in which the MMPI-2 *T* score is less than that of the MMPI for the same raw score, while positive numbers represent a *higher T* score for the MMPI-2. In some instances, these difference scores represent extrapolations from the MMPI and MMPI-2 tables from which they were derived.

Table II. *T* Score (*K*-Corrected) Differences Between MMPI-2 and MMPI (Females)^a

MMPI-2 <i>T</i> score	L	F	K	Hs	D	Hy	Pd	Mf	Pa	Pt	Sc	Ma	Si
40	-2	-7	-7	-4	-5	-8	-7	3	-8	-6	-6	-4	-4
42	-1	-7	-6	-3	-4	-7	-7	4	-8	-6	-7	-5	-4
44	0	-6	-6	-3	-3	-7	-8	4	-8	-6	-7	-5	-3
46	1	-5	-5	-2	-2	-7	-8	4	-8	-5	-6	-6	-3
48	1	-5	-5	-1	-3	-7	-8	4	-7	-4	-6	-6	-3
50	2	-4	-5	-1	-4	-6	-9	5	-7	-4	-5	-7	-3
52	2	-4	-5	-1	-4	-6	-9	4	-7	-3	-5	-7	-3
54	3	-3	-5	0	-4	-5	-9	4	-6	-3	-5	-7	-4
56	4	-3	-5	1	-4	-5	-9	4	-6	-3	-4	-7	-4
58	4	-2	-4	1	-4	-5	-9	4	-6	-2	-4	-6	-4
60	5	-1	-3	1	-4	-4	-9	5	-5	-2	-4	-6	-4
62	6	-1	-3	1	-3	-3	-8	5	-4	-3	-4	-6	-4
64	6	0	-3	1	-3	-3	-8	6	-4	-2	-4	-5	-4
66	6	1	-3	1	-3	-3	-8	6	-3	-2	-5	-5	-4
68	7	2	-3	1	-3	-2	-8	6	-3	-1	-5	-5	-3
70	8	3	-2	1	-3	-2	-8	6	-3	-1	-5	-4	-3
72	8	4	-2	1	-3	-1	-8	6	-2	-1	-5	-4	-3
74	9	5	-1	2	-1	0	-8	6	-2	-1	-5	-4	-3
76	10	5	-1	2	-1	0	-7	7	-1	-1	-5	-5	-3
78	10	6	-1	2	-1	0	-7	7	-1	0	-5	-4	-3
80	11	6	0	2	-1	1	-7	7	-1	0	-5	-4	-2
82	11	6	0	2	-1	2	-7	8	-1	0	-5	-4	-2
84	12	7		2	-1	2	-6	8	0	0	-5	-3	-2
86	13	8		1	0	3	-6	9	0	0	-5	-3	-2
88	14	9		1	0	3	-6	9	1	0	-6	-3	-2
90	14	9		1	0	4	-6	9	1	1	-5	-2	-2
92	14	10		1	0	5	-5	10	1	1	-5	-2	-1
94	15	11		2	0	5	-6	10	2	1	-6	-2	-1
96	15	12		2	0	5	-5	10	2	1	-5	-1	-1
98	16	13		2	1	6	-5	11	3	1	-5	-1	
100	17	14		2	1	7	-4	11	3	2	-6	-1	

^aNegative numbers represent instances in which the MMPI-2 *T* score is less than that of the MMPI for the same raw score, while positive numbers represent a *higher T* score for the MMPI-2. In some instances, these difference scores represent extrapolations from the MMPI and MMPI-2 tables from which they were derived.