

HÄMATOLOGISCHE ZEITSCHRIFTEN

Acta Haematologica 39, 3 (1968)

- Nitrocatecholsulfatase in human blood platelets (B. Rotrekl et al., First a. Second Med. Clin., Palacky Univ., Olomouc) p. 129
- ⁵⁹Fe and ⁵¹Cr studies in aplastic anaemia and myelosclerosis (M. Kesse-Elias et al., Dep. Clin. Therapeut., Univ. Athens, Alexandria Hosp., Athens) p. 139
- Haemoglobin D β Los Angeles (D Punjab, $\alpha_2\beta_2$ 121 GluNH₂) in a Thai family (P. Wasi et al., Dep. Med. Siriraj Hosp. Med. School, Bangkok) p. 151
- Erythroblastopénie non mégalozytaire et sensible à l'acide folique chez une épileptique (Gh. Germano et al., Hôp. Cantonal de Liestal, Serv. Méd.) p. 159
- G-6-PD-Mangel mit Hämoglobinopathie und alpha-Thalassämie (E. Sulis et al., Med. Univ. Inst. Cagliari) p. 167
- The inheritance of leukemia and cancer (M. A. Traill, Pathol. Dep. Repatri. Gen. Hosp., Heidelberg) p. 174
- On the origin of monocytes (F. Schmalzl et al., Dep. Med. Univ. Innsbruck) p. 177

Acta Haematologica 39, 4 (1968)

- The combination of hereditary spherocytosis and heterozygous Betathalassaemia (M. Acksoy et al., Capa Intern. Clin. Istanbul Med. School, Capa Istanbul) p. 183
- Studies on the mechanism of denucleation of the erythroblasts (W. Awai et al., Dep. Pathol., Univ. Med. School, Okayama) p. 193
- Cytochemical demonstration of dihydroorotic dehydrogenase in blood and bone marrow cells (G. L. Castoldi et al., Blood Res. Lab., New England Med. Center, Hosp. a. Dep. Med., Tufts Univ. School of Med., Boston) p. 203
- Investigation of circulation anticoagulants against AHF (Factor VIII) in three patients with hemophilia A (S. van Creveld et al., Hemophil. Clin. Huizen, Netherlands) p. 214
- Studies on rabbit peripheral lymphocytes 1. (J.-P. Girard, Res. Lab., Dep. Med., Geneva Univ. Med. School, Geneva) p. 223
- High obstruction of urine flow as a complication of the treatment with fibrinolysis inhibitors of haematuria in haemophiliacs (H. van Itterbeek et al., Lab. Bloodcoagul. a. Proteol. Univ. Leuven) p. 237
- Blutfremde Zellen im strömenden Blut (E. Gött et al., Med. Abt. Kaiserin Elisabeth Spital, Wien) p. 243
- Etude cytologique de la transformation aigue d'une leucémie myélocytaire chronique (H. Dubois-Ferrière, Centre rech. malad. sang, Genève) p. 249

Blood XXXI, 5 (1968)

- The fine structure of sickled hemoglobin in Situ (J. G. White, Dep. Pediat. Univ. Minnesota Med. School, Minneapolis) p. 561
- Correlation of granulocyte mobilization with etiocholanolone and the subsequent development of myelosuppression in patients with acute leukemia receiving therapy (H. A. Godwin et al., Med. Branch Nat. Cancer Inst. a. Lab. Clin. Invest. Nat. Inst. of Health, Bethesda) p. 580
- A tetrazolium-linked cytochemical method for estimation of glucose-6-phosphate dehydrogenase activity in individual erythrocytes: applications in the study of heterozygotes for glucose-6-phosphate dehydrogenase deficiency (V. F. Faibanks et al., Mayo Clin., a. Mayo Found. Sec. Clin. Pathology, Rochester) p. 589
- Fine structure alterations induced in platelets by adenosine diphosphate (J. G. White, Dep. Pediat., Univ. Minnesota Med. School, Minneapolis) p. 604
- Erythrocytosis secondary to increased oxygen affinity of a mutant hemoglobin, hemoglobin Kempsey (Con S. Reed et al., Dep. Haematol. Sydney Hosp., Sydney) p. 623
- Immunoglobulin abnormalities in Gaucher's disease (P. W. Pratt, et al., Dep. Haematol., Mount Sinai Hosp. New York) p. 633
- Variations in the response of childhood iron deficiency anemia to oral iron (J. R. McNiel, Arabian-American Oil Company, Ras Tanura, Saudi Arabia) p. 641
- Anticoagulant therapy (in chronic idiopathic thrombocytopenic purpura (R. J. Cohen, et al., Dep. Hematol., Walter Reed Army Inst. Res., Washington) p. 647
- Blood cell separation in the dog by continuous flow centrifugation (D. Buckner et al., Med. Branch, Nat. Cancer Inst., Nat. Inst. Health, Bethesda) p. 653

Folia Haematologica 89, 3 (1968)

- Der Thymus – ein hämopoetisches Organ? III. (K. Schneiderberg et al., Abt. Klin. Laboratoriumsuntersuch. u. Hämatol. Inst. Onkologie, Gliwice, Polen) S. 265
- Zerebrale Manifestationen bei Parablastenleukämie im Kindesalter (H. Breidenbach et al., Kinderklin., Karl-Marx- Univ. Leipzig) S. 283
- Zur Diagnostik idiopathischer und symptomatischer sideroblastischer Anämien (Renate Richter et al., Hämatol. Abt. I, Med. Klin. u. Elektronenmikroskop. Abt., Pathol. Inst. Humboldt Univ. Berlin) S. 293
- Untersuchungen über die Veränderung von Gerinnungsfaktoren durch parenterale Verabreichung von Kobalt (II)- Verbindungen (W. Wohlbe et al., Med. Klin. u. Physiol.-chem. Inst., Ernst-Moritz-Arndt Univ. Greifswald) S. 315
- Das Problem der Transfusionshepatitis (W. J. Scheffer et al., Bezirksinst. Blutspende- u. Transfusionswesen, Karl-Marx-Stadt) S. 322
- Blutgruppensubstanzausscheidungen im Harn bei Nierenkrankheiten (K. Jarosch, Inst. gerichtl. Med. Humboldt Univ. Berlin) S. 337

Problemi Gematologii i Perilivania Krowi XIII, 5 (1968)

- The effect of cold (-196°) on the submicroscopic cell structure (E. I. Terentjeva et al.) p. 3
 Microclots of stabilized blood (N. G. Kartashevsky et al.) p. 6
 Changes of the phagocytic activity of the cells and pH of cadaveric bone marrow in the process of preservation (A. Y. Kholodny et al.) p. 9
 The use of pop's effect for leberation of protein solutions from hemoglobin and hemin (A. A. Nikitenko et al.) p. 13
 The effect of intravenous injection of polyvinol on the state of coagulation and fibrinolytic blood system in hypofibrinogenemia (V. V. Chernaya) p. 16
 Some peculiarities of postagonal blood (K. P. Cutintova) p. 20
 Problems of transfusion therapy of acute pancreatitis (V. M. Laschevker) p. 22
 Changes of hemopoiesis gollowing purposeful blood letting and autohemotransfusion in the operated patients with diseases of digestive system organs (V. D. Bratus et al.) p. 25
 Blood loss replacement in radical operations on the heart in tuberculosis (D. G. Dzhumshudov) p. 29
 Therapeutic efficiency of a dry polyglucin solution in traumatic shock and acute blood loss (Ya. A. Rudaev et al.) p. 32
 Difference in immunological properties of agglutinating and cytotoxic antileukemia antibodies (E. A. Zotikov et al.) p. 34
 Concerning blood incompatibility (S. I. Biberger) p. 37
 Hemopoietic activity of donor sera (P. M. Alperin et al.) p. 41

Sangre XIII, 1 (1968)

- Estado de hipercoagulabilidad inducido por inyección intravenosa de suspensiones de ácido elgíco (D. Agostina et al., Dep. Fisiol. y Chirur. Exp. Mem. Sloan-Kettering Cancer Center Univ. Cornell New York) p. 1
 Estudio con el microscopio electrónico de la „Leishmania donovani“ (G. Forteza Bover et al., Inst. Invest. Citol., Valencia) p. 9
 Grupos sanguíneos en ranqueles de Argentina (M. Palatnik, Dep. Cienc. Biol., Fac. Quím. y Farm. Univ. Nat. La Plata, Serv. Hematol., Hop. Rivadavia Buenos Aires) p. 31
 Anemia hemolítica congénita no esferocítica por déficit de piruvatoquinasa (S. Woessner et al., Escuela Hematol., Barcelona) p. 16
 Un caso de disgenesia gonadal pura con mosaico 45, X/46, (XY/47, XXY. Revisión de la literatura (G. Forteza Bover et al., Inst. Invest. Citol., Valencia) p. 67
 Quiste „epidermoideo“ del bazo y esplenopografía (J. Guasch) p. 79

Transplantation 5, 4/1 (1967)

- Rate of cross-circulation in parabiosis: its significance, relationship to genetic disparity and experimental modification (R. A. McBride et al., The Melndoe Mem. Res. Unit, Queen Victoria Hosp. East Grinstead, Sussex) p. 569
 Studies in rats of the „early decrease“ of parabiosis intoxication (R. T. Binhammer, Dep. Anatom. Univ. Cincinnati, College of Med., Cincinnati, Ohio) p. 580
 Immunizing properties of allogeneic dental pulp grafts in rabbits (M. Zaleski et al., Dep. Histol. a. Embryol. School of Med., Warszawa) p. 589
 Serologic activities and specificities of eleven human leukocyte antisera produced by planned immunization (R. Payne et al., Dep. Med. a. Dep. Gen Stansord Univ., School of Med., Palo Alto) p. 597
 Immunologic enhancement of sarcoma I by mouse γ -globulin fractions (Sei Tokuda et al., Dep. Microbiol. Univ. New Mexico School of Med., Albuquerque, Mexico) p. 606
 Normal second set wattle homograft rejection in agammaglobulinemic chickens (D. Y. Perey et al., Pediat. Res. Lab., Veriety Club Heart Hosp. a. Dep. Microbiol., Univ. Minnesota, Minneapolis) p. 615
 Defined leukocyte antigens of chimpanzees: use of chimpanzee isoantisera for leukocyte typing in man (H. Balner et al., Radiobiol. Inst. TNO, Rijswijk The Netherlands) p. 624
 Studies on human leukocytes in diffusion chambers on the chick chorioallantois (J. J. T. Owen et al., Dep. Human Anatomy, Univ. Oxford, England) p. 643
 H-2 component and cellular membranes distinctions between plasma membrane and endoplasmic reticulum governed by the H-2 region in the mouse (Joy H. Ozer et al., Dep. Biol. Chem., Harvard Med. School, Boston) p. 652
 Renal transplantation in the inbred rat I. (R. D. Guttmann et al., Dep. Med., Pathol. s. Urol., Peter Bent Brigham Hosp. a. Harvard Med. School Boston Mass.) p. 668
 Adoptive transplantation disease in recipients of sensitized cells and target cells (G. O. Bain et al., Dep. Pathol. a. Div. Plastic Surg. Univ. Alberta, Edmonton, Canada) p. 682
 Histocompatibility antigen in the heterogametic sex in the chicken (D. G. Gilmour, School of Agricult., Cambridge Univ. Cambridge, Engl.) p. 699
 Transplantation genetics: unexpected histocompatibility associated with skin grafts from F_2 and F_3 hybrid donors to F_1 hybrid recipients (W. H. Hildemann et al., Dep. Microbiol. a. Immunol., Univ. California, Los Angeles) p. 707
 Further studies of histocompatibility loci in rats (H. Ramseier et al., Wistar Inst. Anatom. a. Biol. Philadelphia) p. 721

The Journal of Immunology 98, 5 (1967)

- Dissociation of immune response by the induction of partial unresponsiveness (Y. Borel et al., Dep. Med., New York Univ. School of Med., New York) p. 881
- Histocompatibility and tumor virus antigens identified on cells grown in tissue culture by means of the mixed hemadsorption reaction (R. F. Barth et al., Dep. Tumor Biol. a. Immunol., Karolinska Inst. Stockholm) p. 888
- Hypersensitivity to ascaris antigens I. (G. Strejan et al., Div. Chem. a. Chem. Engineering, The California Inst. Technol., Pasadena, Calif.) p. 893
- Protein conjugates of polysaccharide from cryptococcus neoformans (M. B. Goren et al., Dep. Exp. Chem., Div. Res., Nat. Jewish Hosp., Denver) p. 901
- Experimental murine cryptococcosis: effect of hyperimmunization to capsular polysaccharide (M. B. Goren, Dep. Exp. Chem., Div. Res., Nat. Jewish Hosp., Denver) p. 941
- Canine immunoglobulins I. (J. S. Johnson et al., Dep. Med. Univ. Rochester, School of Med. a. Dent., Rochester) p. 923
- Canine immunoglobulins II. (J. J. Johnson et al., Dep. Med. Univ. Rochester School of Med. s. Dent. Rochester) p. 935
- A serologic study of herpesvirus hominis strains by microneutralisation tests (F. P. Pauls et al., Dep. Parasitol., School Public Health Univ. North Carolina, Chapel Hill) p. 941
- Further studies on effect of entotoxin and antibody response of rabbit to common antigen of enterobacteriaceae (H. Y. Whang et al., Dep. Bacterio a. Immunol. State Univ. New York Buffalo) p. 948
- Precipitation and neutralization of bacteriophage f2 by rabbit antibodies (D. T. Rowlands, Rockefeller Univ. New York) p. 958
- Nephrotoxic serum nephritis in C'6-deficient rabbits I. (K. Rother et al., Dep. Pathol. New York Univ. School of Med., New York) p. 965
- Antibody content of single antibody-forming cells (K. Horigata et al., Irvington House Inst. a. Dep. Med., New York Univ. School of Med., New York) p. 972
- The presence of Antibody to chikungunya and other serological related viruses in the sera of sub-hu, an primate imports to the United States (V. R. Harrison et al., Walter Reed Army Inst. Res., Washington) p. 979
- The radiation resistance of long lived lymphocytes and plasma cells in mouse and rat lymph nodes (J. J. Milleer et al., Biol. a. Med. Science Div., United States Naval Radiol. Defence Lab., San Francisco) p. 982
- Immune hemolysis: an inter-species study (W. D. Linscott, Dep. Microbiol., Univ. California Med. School, San Francisco) p. 991
- Preparative purification of lung-localizing rabbit anti rat lung antibodies in vitro (Osamu Tsuzuku et al., Dep. Biochem. Res. Roswell Mem. Inst. Buffalo, New York) p. 1004
- Chimpanzee red cell isoantibody of a "new specificity, anti-Kc" produced by cross-immunization of chimpanzees with human blood (A. S. Wiener et al., Dep. Forensic Med., New York Univ. School of Med, New York) p. 1011
- Suppression of the tuberculin reaction by high concentrations of tuberculin and the relationship of this phenomenon to the potency assay of tuberculin (H. Baer et al., Div. Biol. Standards Nat. Inst. Health U. S. Dep. Health, Educ. Welfare, Bethesda) p. 1015
- The immune response to human yG-immunoglobulin in rabbits unresponsive to Fc fragment and H chain protein (H. L. Spiegelberg et al., Dep. Exp. pathol., Scripps Clinic a. Res. Found., La Jolla Calif.) p. 1020
- Nature of the immune response to mycoplasma pneumoniae (G. W. Fernald et al., Dep. Pediat. Univ. North Carolina School of Med. Chapel Hill) p. 1028
- Changes in the concentrations of the γ_c -globulin and the yG-globulin of bovine cerebrospinal fluid with maturation (Catherine E. C. MacPherson, Dep. Psych., Allan Mem. Inst., McGill Univ., Montreal, Quebec) p. 1039
- Immunity to the 6C3hed ascitis tumor following treatment of tumorbearing mice with escherichia coli 1-asparaginase (M. D. Prager et al., Wadley Res. Inst. a. Blood Banc Graduate Res. Inst. Baylor Univ., Dallas) p. 1045
- Isolation of rat lung antigens capable of neutralizing localizing activity of anti-lung antibodies (O. Tsuzuku et al., Dep. Biochem. Res., Roswell park Mem. Inst., Buffalo, New York) p. 1053
- Antibody response of rhesus (macaca mulatta) monkeys experimentally infected with coxackieviruses of group A and group B type 9 (II. Nathalie J. Schmidt et al., Viral a. Rickettsial Disease Lab., California State Dep. Pub. Health, Berkeley) p. 1060
- Immunochemical properties of Fc fragment of rabbit yG-globulin (K. Amiraian et al., Div. Lab. a. Res. New York State Dep. Health a. Dep. Microbiol., Albany Med. College, Albany, New York) p. 1067
- Antibody and gland studies in cortisone and ACTH-injected birds (B. Glick, Poultry Science Dep., Mississippi State Univ., State College, Mississippi) p. 1076
- Response and specificity of anti-shigella rabbit antibody (T. Tschiya et al., Dep. Bact. School of Med., Juntendo Univ., Tokyo) p. 1085
- The direct reaction between salmonella enteritidis endotoxin and antibody (J. D. Gupta et al., Dep. Med. Univ. Wisconsin Med. School, Madison) p. 1093

The Journal of Immunology 98, 6 (1968)

- The behavior of autologous thyroglobulin in the circulation of rabbits immunized with either heterologous or altered homologous thyroglobulin (W. O. Weigle et al., Dep. Exp. Pathol. Scripps Clinic a. Res. Found. La Jolla California) p. 1105
- Repeated infections with respiratory syncytial virus (M. Beem, Dep. Pediat Univ. Chicago School of Med., Chicago Illinois) p. 1115
- Antibodies against staphylococcal teichoic acid and type-specific antigens in man (H. Daugharty et al., Dep. Med. a. Dep. Med. Microbiol. a. Pub. Health, Med. College of Georgia, Augusta) p. 1123

- Neutralization of different murine interferons by antibody (M. Boxaga et al., *Virus Lab. Children's Hosp., Philadelphia*) p. 1130
- The effect of kaolin in immunoglobulins: an improved technique of remove the nonspecific serum inhibitor of reovirus hemagglutination (J. J. Mann et al., *United States Dep. Health Education Welfare, Pub. Health Service Bethesda*) p. 1136
- Skin sensitizing antibodies: a comparative study of canine and human Pk and PCA antibodies and a canine myeloma protein (J. H. Rockey et al., *Dep. Microbiol School of Med., Univ. Pennsylvania, Philadelphia*) p. 1142
- Systeme tuberculin sensitivity in mice I. (Shou-Hwa Han et al., *Dep. Microbiol. Univ. Washington School of Med. Seattle Washington*) p. 1152
- Systematic tuberculin sensitivity in mice II. (Shou-Hwa Han et al., *Dep. Microbiol. Univ. Washington School of Med., Seattle*) p. 1159
- Systemic tuberculin sensitivity in mice III. (Shou-Hwa Han et al., *Dep. Microbiol. Univ. Washington School of Med. Seattle*) p. 1163
- Characteristics of direct and indirect complement-fixing antibodies obtained from Turkeys infected with ornithosis agent (G. N. Dreesman et al., *Dep. Microbiol. Univ. Hawaii, Honolulu*) p. 1167
- "Protein A" from staphylococcus aureus II. (G. T. Gustavson et al., *Dep. Microbiol. a. Dep. Oral Histopathol. Univ. Umed, Sweden*) p. 1178
- Structural characteristics of hemolytic antibodies as determined by the effects of ionizing radiation (W. F. Rose et al., *Med. Branch a. Biol. Branch, Nat. Cancer Inst., Nat. Inst. Health, Bethesda*) p. 1190
- The quantitation of nonspecific staining as a guide for improvement of fluorescent antibody conjugates (Bertie Pittman et al., *United States Dep. Health, Education Welfare, Public Health Service, Communicable Disease Center, Atlanta, Georgia*) p. 1196
- Factors affecting the degree of nonspecific staining given by fluorescent isothiocyanate labelled globulins (G. Ann Herbert et al., *U. S. Dep. Health Education Welfare, Public Health Service, Communicable Disease Center, Atlanta, Georgia*) p. 1204
- A quantitative precipitin study of porcine fibrinogen employing paired labels (R. B. Fritz et al., *Dep. Microbiol. Immunol., Duke Univ. Med. Center Durham, North Carolina*) p. 1212
- Studies on the neutralization of Japanese encephalitis virus I. (Yoshikatsu Ozaki et al., *Dep. Microbiol. Fac. Med. Kyoto Univ.*) p. 1218
- Studies of rickettsia nooseri cell walls II. (W. H. Wood et al., *Dep. Microbiol. Univ. Maryland School of Med., Baltimore*) p. 1224
- Experimental streptococcal glomerulonephritis in rats (L. H. Lindberg et al., *Dep. Med. Microbiol. s. Med., Stanford Univ. School of Med. Palo Alto California*) p. 1231
- Studies on the induction of immunologic unresponsiveness I. (E. S. Golup et al., *Scripps Clin., a. Res. Found. Dep. Exp. Pathol., La Jolla California*) p. 1241
- Antigenic and immunogenic studies on purified tetanus toxoid (P. S. Nielsen et al., *Biol. Prod. Sec., Lederle Lab. Div., American Cyanamid Comp. Pearl River, New York*) p. 1248
- Characterization of hamster antibody reacting with papovavirus SV 40 tumor antigens (Satwir S. Tevethia, *Dep. Virol. a. Epidemiol. Baylor Univ. College Med., Houston, Texas*) p. 1257
- Duration of immunity to tuberculosis in mice vaccinated intravenously with oil-treated cell walls of mycobacterium bovis strain BCG (R. L. Anacker et al., *U. S. Dep. Health Education Welfare, Rocky Mountain Lab., Hamilton*) p. 1265
- The effect of antigen in the rate of guanosine-8-C¹⁴ incorporation by lymphocyte (L. W. Mayron et al., *Div. Allergy, Dep. Med. Michael Reese Hosp. a. Med. Center, Chicago, Illinois*) p. 1274
- A tissue hemadsorption inhibitor neutralization test for rubella antibody (R. Murphy et al., *Bureau Virus Diseases a. Res. Illinois State Dep. Public Health, Chicago Illinois*) p. 1286
- Antigenic analysis of a metazoan parasite toxocara canis II. (E. L. Jeska, *Dep. Med. Microbiol. School of Med., Univ. Pennsylvania, Philadelphia*) p. 1290
- Infectivity assay of reoviruses: comparison of immunofluorescent cell count and plaque methods (Mary F. McClain et al., *Viral Rickettsial Diseases Lab., California State Dep. Pub. Health Berkeley, California*) p. 1301
- Adoptive immunity to intracellular infection (J. K. Frenkel, *Dep. Pathol. a. Oncol., Univ. Kansas School of Med., Kansas City*) p. 1309
- The incidence of HI antibody to influenza virus A 2 (Singapore) 1/57 in individuals of blood groups A and O (C. W. Potter et al., *Dep. Bacteriol. Univ. Sheffield, Yorkshire, England*) p. 1320
- Antibody production by mice repopulated with limited numbers of colonies of lymphoid cell precursors (J. Trentin et al., *Baylor Univ. College Med. Houston Texas*) p. 1326

Die Therapiewoche 18, 10 (1968)

Resorptionsstörungen im Magen-Darm-Trakt

- Morphologische Grundlagen der Resorption und Sekretion (H. J. Merker, *Berlin. Königin-Luise-Str. 15*) S. 388
- Das Zöliak-Syndrom (H. J. Bremer, *Univ. Kinderklin., München*) S. 394
- Zur Differentialdiagnose des Spruesyndroms (R. Ammann, *Med. Univ. Poliklin. Kantonsspital Zürich*) S. 397
- Psychosomatische Aspekte bei Resorptions- und Sekretionsstörungen im Magen-Darm-Kanal (H. Freyberger, *Psychosomat. Abt. II. Med. Klin. u. Poliklin., Univ. Krhs. Eppendorf, Hamburg*) S. 409
- Magensekretion (R. Ottenjahn, *Med. Klin. mit Poliklin., Univ. Erlangen-Nürnberg*) S. 412
- Megaloblastäre Anämien bei Magen-Darm-Erkrankungen (H. D. Waller et al., *Med. Univ. Klin., Tübingen*) S. 416

Die Therapiewoche 18, 22 (1968)

Schutzimpfungen mit Lebendvakzinen – ihre Indikationen und ihre Problematik

Zur heutigen Impfsituation (A. Herrlich, Inst. Infekt. u. Tropenmed., München) S. 917

Für und wider die Tuberkuloseschutzimpfung (D. Vogt, Pädiat. Poliklin. Univ. München) S. 919

Die Poliomyelitis- und Masern-Lebendimpfung (O. Vivell, Kinderklin. Städt. Kranst., Karlsruhe) S. 924

Die Impfung des überalterten Erstimpfings (W. Ehrengut, Impfanst. Hamburg) S. 929

Die Impfungen bei Auslandsreisenden (H. Stickl, Bayerische Landesimpfanst., München) S. 931

Der Internist 9, 12 (1967)**Die diagnostische Bedeutung neuzeitlicher Laboratoriumsuntersuchungen I**

Was darf der Internist vom Laboratorium erwarten und was nicht? Aus der Sicht des Klinikers (R. Gross, Med. Univ. Klin., Köln) S. 417

Was darf der Internist von Laboratoriumsuntersuchen erwarten und was nicht? Aus der Sicht des klinischen Chemikers (H. Büttner, I. Med. Univ. Klin., Kiel) S. 419

Diagnostische Leistungsfähigkeit der Schnelltests (D. Kuttner, Klin. Lab. D. Kuttner, Luxemburg) S. 420

Enzymaktivitätsbestimmungen (F. H. Kreuzt, Med. Univ. Klin., Marburg Lahn) S. 425

Funktionsdiagnostik von Lebererkrankungen (E. W. Schmidt, Gastroenterol. Abt. Med. Klin. Med. Hochschule Hannover) S. 431

Die Bedeutung der Automation im klinisch-chemischen Laboratorium für den Internisten (E. Kawerau, Hamilton General Hosp., Hamilton, Ontario) S. 438

Immunology 12, 3 (1967)

Clinical and immunological study of an exceptional case of reaginic type sensitization to human seminal fluid (B. N. Halpern et al., Inst. Immuno-Biol. Hôp. Broussais, Paris) p. 247

The effect of 7S and 19S antibodies on the primary response to salmonella typhi antigens (C. W. Fink et al., Rheumatism Diseases Group, Dep. Med. Univ. Texas Southwestern Med. School, Dallas) p. 259

Some biological activities associated with the 10S form of human γ G-globuline (D. R. Sranworth et al., Dep. Exp. Pathol., Univ. Birmingham) p. 267

Inhibition of the anti-globulin reaction by human immunoglobulin G and its fragments (P. J. Grob et al., Inst. Biochem. a. W. H. O. Internat. Ref. Center Immunoglobulins, Univ. Lausanne) p. 275

Bacteriostatic effects of horse sera and serum fractions on clostridium welchii type A, and the abolition of bacteriostasis by iron salts (J. H. Rogers, Rowett Res. Inst., Bucksburn, Aberdeen) p. 285

The abolition of the protective effect of clostridium welchii type A antiserum by ferric iron (J. J. Bullen et al., Rowett Res. Inst., Bucksburn, Aberdeen) p. 303

Electrophoretic studies of the conversion products of serum β_{1c} -Globulin (C. B. Laurell et al., Dep. Clin. Chem. Malmö Gen. Hosp., Malmö) p. 313

On the significance of the phacoautoantibodies demonstrated in the sera of patients with senile cataract (V. H. Vulchanov et al., Dep. Immunol. Inst. Microbiol., Bulharian Academy Sciences Sofia) p. 321

Quantitative studies of immunofluorescent staining I. (E. H. Beutner et al., Med. Res. Council. Rheumatism Res. Unit., Taplow, Maidenhead) p. 327

The uptake of tritiated thymidine by human spleen cell cultures: a comparison between fresh and stored cells (E. S. Meek et al., Dep. Pathol. a. Surh. Univ. Bristol) p. 339

Biological characterization of mouse "early" antibodies (I. Mota, Dep. Histol. a. Embryo. Med. School Univ. Sao Paulo, Brazil) p. 343

The influence of age of culture on the production of adjuvant-active peptidoglycolipids by saprophytic mycobacteria (D. E. S. Steward-Tull et al., Microbiol. Dep. Anderson College, Glasgow Univ., Glasgow) p. 349

Immunology 12, 4 (1967)

The uptake and localization of proteins, Evans blue and carbon black in the normal and pathological thymus of the guinea-pig (J. N. Blau et al., Dep. Pathol. a. Med., Guy's Hosp. Med. School, London) p. 363

Studies of the pathogenetic role of humoral antibodies reacting with subcellular organ antigens. I. (Gy. Dóbiás et al., Dep. Lab. Examinat. a. Pathol. Postgraduate Med. School, Budapest) p. 373

Studies of the pathogenetic role of humoral antibodies reacting with subcellular organ antigens. II. (Gy. Dóbiás et al., Dep. Lab. Examinat. a. Pathol. Postgraduate Med. School, Budapest) p. 389

Studies in cryo-immunology, I. (C. Yantotno et al., Millard Fillmore Hosp. Res. Inst., Veterans Admin. Hosp. State Univ. New York, Buffalo) p. 395

Contributions to the study of salmonella. II. (Cella Barber et al., Dr. I. Cantacuzino' Inst. Bukarest) p. 411

Response of human blood lymphocytes to tuberculin PPD in tissue culture (A.-S. Coulson et al., Dep. Pathol., Univ. Cambridge) p. 417

Molecular forms of rabbit antibody synthesized during the primary response to human albumin (Ming-Ming Wei et al., Dep. Microbiol. School of Med. Western Reserve Univ., Cleveland, Ohio) p. 431

Schwartzman reaction in endotoxin-resistant rabbits induced by heterologous endotoxin (T. G. Kováts et al., Inst. Pharmakol. Med. Univ. Szeged) p. 445

Seasonal variations in endotoxin sensitivity (P. Végh et al., Inst. Pharmacol. Med. Univ. Szeged) p. 455

Studies on the precipitin content of bovine sera prepared against various biotypes of brucella abortus (L. K. Nagy, Univ. Glasgow Vet. Hosp. Beardsen, Glasgow) p. 463

β_{1c} and immune globulin formation in vitro by tissue from germ-free and conventional rodents of various ages (Vera J. Strecher et al., Dep. Pathol. New York Univ. School of Med. New York) p. 475

Immunology 12, 5 (1967)

- The release of thyroglobulin from the thyroid gland into thyroid lymphatics; the identification of thyroglobulin in the thyroid lymph and in the blood of monkeys by physical and immunological methods and its estimation by radioimmunoassay (P. M. Daniel et al., Dep. Neuropathol. Inst. Psychiat., Maudsley Hosp. Denmark Hill, London) p. 489
- Influence of splenectomy in rats on the formation of 19S and 7S antibodies (I. F. De Carvalho et al., Dep. Med. New York Univ. Bellevue Med. Center New York) p. 505
- Inhibition, no-effect or enhancement of immune responses following injection of mixtures of immunogenic and non-immunogenic synthetic polypeptides (S. Ben. Efraim et al., Israel Inst. Biol. Res., Ness-Ziona) p. 517
- Quantitative studies on phytohaemagglutinin-induced cytotoxicity by human lymphocytes against homologous cells in tissue culture (G. Holm et al., Dep. Immunol., Wenner. Gren Inst. Exp. Biol., Stockholm) p. 525
- Lymphocyte-transforming activity of homologous and heterologous antisera to rabbit leucocytes (Stella Knight et al., Rheumatism Res. Wing, Dep. Exp. Pathol. Med. School, Birmingham) p. 537
- Effects of neonatal thymectomy on the haemolysis response to sheep erythrocytes in swiss albino mice (N. R. St. C. Sinclair, Dep. Biochem, Dalhousie Univ., Halifax, Canada) p. 549
- A comparison of primary and secondary haemolysis responses to sheep erythrocytes in neonatally thymectomized, sham-thymectomized and normal swiss mice (N. R. St. C. Sinclair, Chester Beatty Res. Inst., Inst. Cancer Res., Royal Cancer Hosp. Fulham Road, London) p. 559
- The estimation of the concentration and equilibrium constant of anti-D (N. C. Hughes-Jones, Exp. Haematol. Res. Unit, Wright Fleming Inst. Microbiol., London) p. 565
- Differences in immune response to synthetic antigens in two inbred strains of guinea-pigs (S. Ben-Efraim et al., Lab. Immunol. Nat. Inst. Allergy a. Infect. Diseases. Bethesda) p. 573
- Regenic antibodies and immunity to *nippostrongylus brasiliensis* in the rat. II. (Valerie E. Jones et al., Nat. Inst. Med. Res., London) p. 583
- Somme effects of heterogeneous populations of antibodies (R. Patterson et al., Chicago Wesley Mem. Hosp. a. Dep. Med., Northwestern Univ. Med. School, Chicago) p. 599

Immunology 12, 6 (1967)

- Quantitative analysis of the chimaeric state in mice I. (B. Nakic et al., Dep. Animal Physiol., Fac. Nat. Sciences a. Mathematics, Univ. Zagreb) p. 609
- Quantitative analysis of the chimaeric state in mice II. (B. Nakic, et al., Dep. Animal Physiol. Fac. Nat. Sciences a. Mathematics Univ. Zagreb) p. 615
- Antibodies in human sera to rabbit erythrocytes (O. Tönder et al., Univ. Bergen, The Broegelmann Res. Lab. Microbiol., Bergen/Norway) p. 629
- A kinetic study of the bacteriolytic and bactericidal action of human serum (A. A. Glynn et al., Dep. Bacteriol. Wright-Fleming Inst., St. Mary's Hosp., Med. School, London) p. 639
- Studies on synthetic polypeptide antigens XVII! (T. J. Gill III, Lab., Chem. Pathol. Dep. Pathol., Harvard Med. School, Boston) p. 655
- Precipitin reactions of anti-human myoglobin serum with several human and animal muscle extracts (L. J. Kagen et al., Dep. Med. Columbia Univ., New York) p. 667
- Time of appearance and distribution of cells capable of secondary immune response following primary immunisation (T. K. Vischer et al., Dep. Intern. Med., Rheumatism. Disease Unit, Univ. Texas, Dallas) p. 675
- Antibodies of IgA and IgG class in normal human urine (M. W. Turner et al., Dep. Experimental Pathol., Univ. Birmingham) p. 689
- Experimental delayed type allergy without demonstrable antibodies I. (J. D. Holtzer et al., Lab. Microbiol., State Univ., Catharijenesingel 59, Utrecht) p. 701
- Histamine formation in the tuberculin reaction of the rat (Pamela Graham et al., Dep. Pharmacol., Univ. College London) p. 725

Immunology 13, 1 (1967)

- Adsorption of (heterologous) globulins by chopped guinea pig-lung (C. A. King et al., Dep. Biochem. St. Bartholomew's Hosp., Med. College, Charterhouse Square, London) p. 1
- Production of hapten-specific unresponsiveness in adult guinea pigs by prior injection of monovalent conjugates (S. Leskowitz, Med. Serv. Massachusetts Gen. Hosp. a. Dep. Bacteriol. a. Immunol., Harvard Med. School, Boston) p. 9
- Morphological changes induced in human red cells by rabbit univalent antibody (S. Zappacosta et al., Inst. Gen. Pathol., Univ. Naples) p. 19
- Synthetic antigens composed exclusively of L- or D-amino acids, I. (C. A. Janeway et al., Nat. Inst. Med. Res., London) p. 29
- The biological effects of anti-thyroid antibodies (G. C. Sharp et al., Div. Immunol. Dep. Med. Stanford Univ. School of Med., Palo Alto, California) p. 39
- The transmission of bovine anti-brucella abortus agglutinins across the gut of suckling rats (I. G. Morris, Agrucult. Res. Counc. Unit. Embryol., Dep. Zool., Univ. College North Wales, Bangor) p. 49
- Immunogenicity of heterologous Fc and Fab immunoglobulin fragments in rabbits, guinea-pigs and rats (R. A. Binaghi et al., Collège France, Paris) p. 63
- The localization of antigen in lymph nodes and its relation to specific antibody-producing cells II. (J. H. Humphrey et al., Nat. Inst. Med. Res. London) p. 71

- The localization of non microbial antigens in the draining lymph nodes of tolerant, normal and primed rabbits. (J. H. Humphrey et al., Nat. Inst. Med. Res., Mill Hill, London) p. 87
 Studies on the mode of action of the fifth, sixth and seventh component of huma complement in immune haemolysis (U. R. Nilsson et al., Dep. Exp. Pathol., Scipps Clin. a. Res. Found, La Jolla California) p. 101
 Purification of a cytotoxic serum factor from thyroglobulin — sensitized guinea pigs (Th. Packalén et al., Central Bacteriol. Lab., Stockholm City) p. 119

Immunology 13, 2 (1967)

- Attempts to immune F₁ hybrid mice against their parents (J. Wright-Goodman et al., Biol. Div., Oak Ridge Nat. Lab. Oak Ridge, Tennessee) p. 125
 Tolerance in adult rabbits by repeated non. immunigenic dose of bovine serum albumin (G. J. Thornbecke et al. Dep. Pathol., New York Univ. School of Med., New York) p. 141
 A study of the termination of tolerance to BSA with DNP-BSA in rabbits relative affinities of the antibodies for the immunizing and paralyzing antigens) p. 147
 Stimulation of lymphocytes transformation by tissue homogenates in recurrent oral ulceration (T. Lehner, Dep. Dental Med. a. Pathol. Guy's Hosp. Med. School, London Bridge) p. 159
 Autoimmune renal disease (J. H. Boos et al., Dep. Pathol. a. Clin. Microbiol. Hebrew Univ. Hadassah Med. School, Jerusalem) p. 167
 Immunochemical characterization of submicrosomal rat liver membranes (U. Lundkvist et al., Wenner-Gren Inst., Stockholm) p. 179
 The persistence of donor derived cells in thymus grafts, lymph nodes and spleen of recipient mice (Delphine M. V. Patrott et al., Imp. Cancer Res. Fund, Burtonhole Lane Mill Hill, London) p. 193
 Immune precipitin reactions between an anti-human myoglobin antiserum and several purified primate myoglobulins (L. J. Kagen et al., Dep. Med. Columbia Univ. College Phys. a. Surg., Edward Daniesl Arthritis Clin. Presbyterian Hosp. New York) p. 201
 Studies on the antigen in β -haemolytic streptococci that cross reacts with an antigen in human myocardium (L. S. Nakhla et al., Matilda a. Terence Kennedy Inst. Rheumatol., Bute Gardens, Hammersmith London) p. 209
 The separation of haemagglutination inhibitors from antibodies to parainfluenza viruses by gel filtration on sephadex G-200 column (L. B. Mekler et al., D. 1. Ivanovsky Inst. Virol., U. S. S. R. Academy Med. Sciences, Moscow) p. 219
 Immunoglobulin class of brucella antibodies in human sera (W. R. Kerr et al., Vet. Res. Station, Belfast) p. 223

Immunochemistry 4, 3 (1967)

- Optical rotatory dispersion on peptides which inhibit the oxidized ribonuclease immune system (W.T. Shearer et al., Dep. Biochem., Wayne State Univ. School of Med., Detroit Michigan) p. 127
 Immunochemical studies on cross-reaction of antipneumococcal sera-V cross reactions of horse antipneumococcal type II serum with e. coli M-II polysaccharide, dextran and hemocyanin-ortho-azophenyl β -glucuribude (Zusan Zolla et al., Dep. Microbiol. Univ. Calif. San Francisco Med. Center, San Francisco) p. 135
 The preparation of antigenically defined, conalbumin-free ovalbumin, by ion-exchange chromatography (W. J. Herbert, Immunol. Dep. Bact. Univ. Edinburgh Med. School) p. 143
 Similar surface areas on acetylated lactic dehydrogenases (K. Rajewsky et al., Inst. Gen., Univ. Köln) p. 151
 Separation of antibodies into fractions with different binding properties (M. Kitagawa) et al., Dep. Biochem. Res., Roswell Park Mem. Inst., Buffalo) p. 157
 Specificity of immunological tolerance to poly-DL-alanyl proteins (Sara Bauminger et al., Sec. Chem. Immunol., Weizmann Inst. Science Rehovoth, Israel) p. 169
 Specific purification of equine anti-SII antibodies by precipitation with a hemocyanin-glucoronide conjugate (Isobel Cornell et al., Dep. Bact. a. Immunol. Univ. Calif., Berkeley, California) p. 183

Immunochemistry 4, 4 (1967)

- Purification of fluorescein and fluorescein derivatives by cellulose ion exchange chromatography (W. B. Dandliker et al., Div. Biochem. Scripps Clin. a. Res. Found, La Jolla, California) p. 191
 Antibodies directed to singly and doubly charged forms of the p-azoben zeneuronate group (M. Kitagawa et al., Dep. Biochem. Res. Roswell Park Mem. Inst., Buffalo) p. 197
 Antisera to covalently linked proteins (G. E. Francis, Dep. Biochem. Med. College St. Bartholomew's Hosp., London) p. 203
 Biochemical correlates of respiratory deficiency VIII. (J. Kraml et al., Dep. Chem. Indiana Univ., Bloomington Indiana) p. 213
 Amino terminal studies of some pathological human serum immunoglobulins (C. J. Brackenridge, St. Vincent's School of Med. Res., Melbourne, Australia) p. 227
 Quantitative determination of serum immunoglobulins by single radial immunodiffusion on cellulose acetate (C. Vergani et al., Inst. Clin. Med., Univ. Milan) p. 233
 Heterogeneity of the light chains of rabbit immunoglobulin G fractions and of. a series of antibodies directed towards antigens of differing complexity (Edna Mozes et al., Sect. Chem. Immunol., The Weizmann Inst. Science Rehovoth, Israel) p. 239
 Erythrocyte membrane sulfhydryl groups and Rh antigen activity (F. A. Green, Vet. Admin. Hosp. Buffalo Gen Hosp. Buffalo, New York) p. 247
 Equine anti-hapten antibody — IV the effect of polyanylation of affinity (F. Karush et al., Dep. Microbiol. School of Med. Univ. Pennsylvania Philadelphia) p. 259

The Journal of Immunology 99, 2 (1967)

- Immune hemolysis: a simplified method for the preparation of EAC⁷⁴ with guinea pig or with human complement (T. Borsos et al., Biol. Branch Nat. Cancer Inst., Nat. Inst. Health, Bethesda) p. 263
- Human reactions to staphylococcal antigens (R. Russel Martin et al., Dep. Med. Med. College Georgia, Augusta) p. 269
- California group arboviruses: immunodiffusion studies (F. A. Murphy et al., Nat. Communicable Disease Center Atlanta Georgia) p. 276
- A plaque reduction test for dengue virus neutralizing antibodies (P. K. Russel et al., Dep. Virol., U. S. Army Med. Component, SEATO a. Fac. Pub-Health Bangkok, Thailand) p. 285
- Dengue virus identification by the plaque reduction neutralization test (P. K. Russell et al., Dep. Virol. U. S. Army Med. Component SEATO a. Fac. Pub. Health, Bangkok, Thailand) p. 291
- Rhinovirus neutralizing antibody in tears, parotid saliva nasal secretions and serum (R. Gordon D. et al., Dep. Health Education a. Welfare, Lab. of Clin., Investigations, Bethesda) p. 297
- False positive radio-immunotograph associates with immunoglobulins from normal sera (P. Minden et al., Div. Allergy Immunol. a. Rheumatol., La Jolla) p. 304
- Production of immunoglobulins and their subunits by human tissue cell lines (L. D. Wakefield et al., Dep. Pathol. New York) p. 308
- Ontogeny of the immune response IV. (Y. B. Kim et al., Dep. Microbiol., Univ. Minnesota) p. 320
- Effects of actinomycin D on the primary hemolysin response in rats (D. M. Cirkovic et al., Lab. Radiol., Boris Kidric Inst. Nuclear Sciences, Beograd) p. 327
- Changes in erythrocyte I agglutinin and anti-I agglutinins during mycoplasma pneumoniae infection in man (C. B. Smith et al., Lab. Infect. Diseases, Nat. Inst. Allergy a. Infect. Diseases, Bethesda) p. 333
- Studies of human lymphocytes in vitro (IV) (S. D. Douglas et al., Lab. Exp. Pathol. Nat. Inst. Arthritis a. Metabol. Dis., Nat. Inst. Health, Bethesda) p. 340
- Hypersensitivity to ascaris antigens (II) (Gill Strejan et al., Div. Chem. a. Chem. Engineering, California Inst. Technol., Pasadena) p. 347
- Induction maintenance and termination of immunologic unresponsiveness to bovine thyroglobulin in rabbits (R. M. Nakamura et al., Scripps Clin., a. Res. Found., Dep. Exp. Pathol., La Jolla) p. 357
- Delayed contact sensitivity to catechols II. (H. Baer et al., Div. Biol. Standards, Nat. Inst. Health Bethesda) p. 365
- Delayed contact sensitivity to catechols III. (H. Baer et al., Div. Biol. Standards, Nat. Inst. Health, Bethesda) p. 370
- Plasma protein constituent of amyloid fibrils (E. S. Cathcart et al., Evand Dep. Clin. Res. Univ. Hosp., Boston) p. 376
- Comparison of ability of defective foreign genomes (PARA and MAC) carried by human adenoviruses to induce SV 40 transplantation immunity (F. Rapp et al., Dep. Virol. a. Epidemiol., Baylor Univ. College of Med., Houston) p. 386
- The effect of antigenic competition and antibody production to heterologous proteins, termination of immunologic unresponsiveness and induction of autoimmunity (W. O. Weigle et al., Scripps Clin. a. Res. Found. Dep. Exp. Pathol., La Jolla) p. 392
- Density gradient centrifugation studies on rubella complement-fixing a. antigens (Nathalie Schmidt et al., Viral a. Rickettsial Diseases Lab., California State Dep., Pub. Health, Berkeley) p. 399
- Presence of kappa and lambda light chain determinants in 3 S_γ-globulins of pooled normal human plasma (R. C. Williams et al., Arthritis Unit, Dep. Med. Univ. Hosp., Minneapolis, Minnesota) p. 406
- Factors affecting the reactivity of human lymphocytes in vitro I. (J. F. Moorhead et al., Veterans Admin. Hosp. Georgetown Univ. School of Med., Washington) p. 413
- Development of immunologic competence in germfree and conventional mice (M. J. Bosma et al., Biol. Div. Oak Ridge, Nat. Lab. Oak Ridge, Tennessee) p. 420
- A comparison of the antigenic properties of nucleus pulposus and cartilage protein polysaccharide complexes (A. M. Pankovic et al., Hosp. Spec. Surg., Cornell Univ. Med. College, New York) p. 431
- Suppression of transferred allogenic spleen cells in the mouse: active induction and passive transfer by antiserum (T. N. Harris et al., Children Hosp. Philadelphia, School of Med., Philadelphia) p. 438
- In vitro demonstration of suppressive antibody in mouse antisera Vs. allogenic spleen cells (Susanna Haris et al., Children's Hosp. Philadelphia School of Med.) p. 447
- Purification by starch block electrophoresis of renal antigen that induces nephrotoxic antibody (S. Shibata et al., Theird Dep. Int. Med. Fac. Med. Univ. Tokyo) p. 454
- Notation for human immunoglobulin subclasses (J. L. Fahey et al., Nat. Cancer Inst., Nat. Inst. Health, Bethesda) p. 465

The Journal of Immunology 99, 3 (1967)

- Passive transfer of tuberculin hypersensitivity with cellular fractions from sensitized guinea pigs (D. J. Dunn et al., Dep. Microbiol. Univ. Oklahoma Med. Center, Oklahoma City) p. 467
- Studies on the transfer of myeloma protein synthesis with RNA isolated from the C₃H-plasma cell tumor (X 5563) I. (P. H. Chin et al., Biol. a. Med. Sciences Div., U. S. Naval Radiol. Defense Lab., San Francisco) p. 476
- Studies on the transfer of myeloma protein synthesis with RNA isolated from the C₃H-plasma cell tumor (X 5563) II. (P. H. Chin et al., Biol. a. Med. Sciences Div., U. S. Naval Radiol. Defense, Lab. San Francisco) p. 489
- Studies of the effect of induced immune lymphopenia I. (A. M. Denman et al., Dep. Int. Med., Univ. Texas Southwestern Med. School, Dallas) p. 498
- Some experiences with chemical inactivants of foot- and mouth disease virus (O. N. Fellowes, Plum Island Animal Diseases Lab., Animal Dis. a. Parasite Res. Div., USDA, Greenport Long Island, New York) p. 508
- Isolation and characterization of antibodies and other immunological reactive substances from rejecting renal allografts (C. L. Hampers et al., Lab. Surg. Res. Harvard Med. School Boston, Massachusetts) p. 514

- Anitigene analysis of extracts of human heart tissue: cardiac antigens with limited distribution in other organs (I. Kushner et al., Dep. Med. Western Res. Univ. School of Med., Metropolitan Gen. Hosp. Cleveland, Ohio) p. 526
- The nature of antibodies and the immune response in rainbow trout (*salmo gairdneri*) (H. O. Hodgkins et al., Dep. Microbiol., Univ. Washington, Seattle) p. 534
- Purified rabies vaccine: development and comparison of potency and safety with two human rabies vaccines (R. Keith-Sikes et al., Nat. Commun. Disease Center, Dep. Health Education and Welfare, Atlanta, Georgia) p. 545
- Cumulative changes in the antigenic properties of herpes simplex virus from persistently infected cell cultures (Berge Hampar et al., Lab. Microbiol., Nat. Inst. Dent. Res. Nat. Inst. Health, Bethesda) p. 554
- The dependence of cold agglutinin activity on K chains (N. Costea et al., Dep. Med. Univ. Illinois College of Med., Chicago) p. 558
- Neutralization of the Shwartzman reactions by polymyxin B (D. Rifkind et al., Dep. Med. a. Pathol. Univ. Colorado Med. Center, Denver) p. 564
- Cell-released non specific stimulators of antibody forming spleen cell populations (M. Nakano et al., Inst. Microbiol. Rutgers, State Univ., New Brunswick, New Jersey) p. 570
- Adjuvanticity of lactic dehydrogenase virus: influence of virus infection on the establishment of immunologic tolerance to a protein antigen in adult mice (S. E. Mergenhaben et al., Immunol. Sect. Lab. Microbiol. Nat. Inst. Dent. Res., Nat. Inst. Health, Bethesda) p. 576
- Three naturally occurring inhibitors of complement in guinea pig and rabbit serum (N. Tamura et al., Lab. Microbiol., Howard Hyghes Med. Inst. Miami Florida) p. 582
- Evaluation of light chain antigen binding by radioimmuno-electrophoresis (P. Minden et al., Div. Allergy, Immunol. a. Rheumatol. Scripps Clin., a. Res. Found., La Jolla) p. 590
- Disc electrophoresis patterns of the polypeptide chains of guinea pig immunoglobulins (B. Aron et al., Dep. Pathol. New York Univ. School of Med., New York) p. 597
- The relationship between the Inv (1) and (2) genetic antigens of Kappa human light chains (St. D. Litwin et al., Rockefeller Univ., New York) p. 603
- Physicochemical properties of reaginic antibody VI. (K. Ishizaka et al., Children's Res. Inst., a. Hosp., Denver Colorado) p. 660
- Localization and quantitation of transplantation antibodies (R. J. Perper et al., Dep. Surg. Univ. California School of Med., San Francisco) p. 619
- Studies on the induction of Immunologic unresponsiveness II. (S. E. Golub et al., Scropss Clin. a. Res. Found. Dep. Exp. Pathol., La Jolla, California) p. 624
- C3c deficient human sera with a β 1c precipitin line (M. Torisu et al., Virol. Div. Nat. Cancer Center Res. Inst., Chuo-ku, Tokyo) p. 629
- The Journal of Immunology** 99, 4 (1967)
- Lepromin and tuberculin reactivity in adults not exposed to leprosy (C. C. Shepard et al., Nat. Cancer Communic. Disease Center Dep. Health, Educ. a. Welfare, Atlanta Georgia) p. 637
- Sites of synthesis of serum proteins I. (V. J. Stecher et al., Dep. Pathol., New York School of Med., New York) p. 643
- Sites of synthesis of serum proteins II. (V. J. Stecher et al., Dep. Pathol. New York Univ. School of Med. New York) p. 653
- Sites of synthesis of serum proteins III. (V. J. Stecher et al., Dep. Pathol. New York Univ. School of Med. New York) p. 660
- Interaction of rickettsia and phagocytic host cells V. (C. L. Wisseman et al., Dep. Microbiol., Univ. Maryland School of Med. Baltimore) p. 669
- Immunoglobulin isoantigens (allotypes) in the mouse IV. (Noel. L. Warner et al., Dep. Gen., Stanford Univ. School of Med. Paolo Alto California) p. 675
- Immunoglobulins of the leopard shark I. (Anita A. Suran et al., Dep. Bact. a. Immunol., Univ. California, Berkeley) p. 679
- Brevity of the inductive phase in the immune response of mice to capsular polysaccharide antigens (P. J. Baker et al., Lab. Immunol., Nat. Inst. Allergs a. Infect. Diseases, Nat. Inst. Health, Bethesda Maryland) p. 687
- An antigenic determinant of human G-Globulin susceptible to papain digestion (Ch. S. Henney et al., Children's Asthma Res. Inst. a. Hosp., Denver) p. 695
- Suppression of allogeneic rabbit lymph node cells: antigen-bearing cell membrane fragments and the specifically purified suppressive antibody (T. N. Harris et al., Children's Hosp. Philadelphia) p. 703
- Papain fragments of rabbit anti-leukocyte antibodies: effect in relation to some serologic and biologic activities of the antiserum (C. A. Ogburn et al., Children's Hosp. Philadelphia) p. 713
- Cytotoxic antibodies in rabbit anti-leukocyte serum: relation to suppression of transferred lymph node cells (Suzanna Harris et al., Children's Hosp. Philadelphia) p. 721
- Immunochemical studies of foot and mouth disease I. (K. M. Cowan et al., Plums Island Animal Disease Lab., Long Island, New York) p. 729
- Correspondence or the relative cellular distribution and serum concentration of allelic allotypic markers heterozygous rabbits (Zana Lummus et al., Dep. Microbiol. Univ. Florida, Gainesville) p. 737
- Role of macrophages in antibody production (Bertie F. Argyris, Dep. Zool., Syracuse Univ., Syracuse, New York) p. 744
- Synthesis of normal an "immunogenic RNA" in peritoneal macrophage cells (D. C. Bishop et al., Dep. Biol. Marquette Univ., Milwaukee) p. 751
- Secondary response in haptenic systems: cell population selection by antigen (W. E. Paul et al., Dep. Pathol. a. Med., New York Univ. School of Med. New York) p. 760

- Interferon in congenital rubella response to live attenuated measles vaccine (J. Desmyter et al., Dep. Virol. a. Epidemiol. Dep. Pediat. Baylor Univ. College of Med., Houston) p. 771
- Reactions of newcastle disease virus with infectious nonnucleocapsid sera in agar gel (Almen L. Barron et al., Dep. Bact. a. Immunol., State Univ. New York, Buffalo, New York) p. 778
- The hemagglutination inhibition test for rubella: a comparison of its sensitivity to that of neutralization, complement fixation and fluorescent antibody tests for diagnosis of infection and determination on immunity status (E. H. Lennette et al., Virala. Rickettsial Disease Lab., Berkeley California) p. 785
- Cross reaction of the group specific polysaccharides of streptococcal groups B and G in anti-Pneumococcal sera with especial reference to type XIII and its determinants (M. Heidelberger et al., Dep. Pathol. New York Univ. School of Med. Washington, St. Louis) p. 794
- The effect of β -aminocaproic acid on antigen-antibody reactions (T. R. Wold et al., Div. Allergy, Immunol. a. Rheumatol., Scripps Clin. a. Res. Found. La Jolla) p. 797
- Mixed γ G γ M cold agglutinin (L. S. Goldberg et al., Rheumatol. Sect., Dep. Med. Univ. California Los Angeles) p. 803
- Two serologically distinguishable subclasses of μ chains of human macroglobulins (E. C. Franklin et al., Dep. Med. Rheum. Diseases, New York) p. 810
- A new serum factor in normal rabbits III, (W. J. Mandy, Dep. Microbiol. Univ. Texas, Austin) p. 815
- Biologic properties of a non precipitation antigen from timothy pollen extracts (A. Malley et al., Oregon Reg. Primate Res. Center, Beaverton, Oregon) p. 825
- Characteristics of antibody response in young or thymectomized mice (K. Takeya et al., Dep. Bact. School of Med., Kyushu Univ. Fukuoka Japan) p. 831

Clinical and Experimental Immunology 2, 2 (1967)

- Autoimmunity in chronic bullous skin diseases (E. H. Beutner et al., Med. Res. Council, Rheumatism Res. Unit., Canadian Red. Cross Mem. Hosp., Taplow) p. 141
- Studies on a unique diagnostic serum globulin in papular mucinosis (Lichen myxedematosus) (K. James et al., Hematol. a. Dermatol. Units, Dep. Med. Univ. California School of Med., San Francisco) p. 153
- Kappa chain cold precipitable immunoglobulin G (IgG) associated with cold urticaria (J. J. Konstanzi et al., Dep. Med. Wilford Hall USA F. Hosp. Aerospace Med. Div., Lackland Air Force Base, Texas) p. 167
- Wiskott-Aldrich syndrome: review and report of a large family (E. R. Stiehm et al., Dep. Pediat. Univ. Calif. School of Med., San Francisco) p. 179
- Antibodies to species homologous tissue antigens in rat I. (J. H. Boss, et al., Dep. Pathol. a. Clin. Microbiol., Hebrew Univ. Hadassah Med. School, Jerusalem) p. 191
- Consequences of neonatal thymectomy in new zealand black mice (June East et al., Imp. Cancer Res. Fund a. Nat. Inst. Med. Res. Mill Hill, London) p. 203
- The response of human leucocyte culture to stimulation by tuberculin and phytohaemagglutinin measured by the uptake of radioactive thymidine (M. Hartog et al., Metabol. Res. Unit, Dep. Med. a. Biochem., Univ. California Med. School, San Francisco) p. 217
- Complement and cold agglutinins I. (T. J. Boyer et al., Western Reserve Univ. School of Med. Cleveland Ohio) p. 229
- Complement and cold agglutinins II. (J. T. Boyer, Western Reserve Univ. School of Med. Cleveland, Ohio) p. 241

Clinical and Experimental Immunology 2, 3 (1967)

- Histological and serological features of experimental autoimmune thyroiditis in guinea pig (G. Goldstein et al., Clin. Res. Unit. Walter a. Eliza Hall Inst., Med. Res. Royal Melbourne Hosp., Victoria, Australia) p. 257
- Delayed development of immunological responsiveness in neonatally thymectomized mice: a time-course study (N. R. St. C. Sinclair et al., Chester Beatty Res. Inst., Inst. Cancer Res., Royal Cancer Hosp., Fulham Road, London) p. 269
- Immunoglobulin G of restricted electrophoretic mobility in certain human sera (Henryka Golebiowska et al., Dep. Exp. Pathol., Univ. Birmingham) p. 275
- Observations on the OX cell haemolysins in human serum (R. E. Pounder et al., Dep. Pathol., Cambridge Univ., England) p. 285
- Myelotoxicity of serum and spinal fluid in multiple sclerosis: a critical assessment (D. Hughes et al., M. R. C. Demyelinating Diseases Res. Unit., Royal Victoria Inf. a. Univ. Newcastle upon Tyne) p. 295
- Runting syndrome in neonatal rabbits infected with *treponema pallidum* (H. Festenstein et al., South African Inst. Med. Res., a. Dep. Pathol., Univ. Witwatersrand, Johannesburg) p. 311
- Gastric acid output and circulating antiovine serum albumine in adults (S. C. Kraft et al., Div. Allergy, Immunol. a. Rheumatol. Gastroenterol. Scripps Clin. a. Res. Found., La Jolla, California) p. 321
- Factors influence the immune response I. (R. N. Pinckard et al., Immunol. Unit., Bacteriol. Dep. Univ. Edinburgh Med. School) p. 331
- Factors influence the immune response II. (R. N. Pinckard et al., Immunol. Unit. Bacteriol. Dep. Univ. Edinburgh Med. School) p. 343
- Impaired phytohaemagglutinin-induced cytotoxicity in vitro of lymphocytes from patients with Hodgkin's disease or chronic lymphatic leucemia (G. Holm et al., Dep. Immunol. Univ. Stockholm) p. 351
- A theory of the action of cancer chemotherapeutic drugs (S. Rose, Dep. Physiol., Univ. Melbourne, Parkville Victoria, Australia) p. 361

Clinical and Experimental Immunology 2, 4 (1967)

- The production of immunoglobulins by human peripheral blood lymphocytes in vitro (Carolyn S. Ripps et al., Dep. Med. a. Pathol., New York Univ. School of Med., New York) p. 377
- In vitro studies on antibodies to intrinsic factor (S. G. Schade et al., Dep. Med. Univ. Wisconsin Med. School, Madison) p. 399
- The incidence of antibody to a soluble nuclear antigen in the sera of patients with systematic lupus erythematosus and rheumatoid arthritis estimated with the mixed haemadsorption technique (J. Jonsson, Nat. Bact. Lab., a. Dep. Immunol., Karolinska Institutet, School of Med., Stockholm) p. 415
- Malignant changes in new zealand black mice (June East et al., Imp. Cancer Res. Found., a. Nat. Inst. Med. Res., Mill Hill, London) p. 427
- The effect of phytohaemagglutinin on the immune response in vivo (J. F. Jennings et al., Charles Salt Res. Centre, Robert Jones a. Agnes Hunt Orthopaedic Hosp., Oswestry) p. 445
- Antibodies to species homologous tissue antigens in the rat II. (J. H. Boss et al., Dep. Pathol. a. Clin. Microbiol., Hebrew Univ. Hadassah Med. School Jerusalem) p. 455
- A bence jones cryoglobulin: chemical physical and immunological properties (M. Liss et al., Res. Lab., New England Med. Center, Hosp., Boston) p. 467
- Development of sensitivity to dinitrochlorobenzene in patients with sarcoidosis (J. Verrier Jones, Bristol Royal Hosp., Gen. Hosp. Branch, Bristol) p. 477
- Discoi d lupus erythematosus in the site of an intradermal injection of killed staphylococcus aureus (Katherine Crice et al., Inst. Dermatol., St. John's Hosp. Disease Skin, London) p. 489
- Inverse effect on the serum levels of γ G- and γ M-globulins after prednisone treatment of lupoid hepatitis (F. A. Wollheim, Dep. Clin. Chem., Dep. Pediat. Univ. Lund) p. 497
- Rheumatoid factor in synovial effusions: local production and consumption (K. Hannestad et al., Inst. Exp. Med. Res., Univ. Oslo) p. 501
- Presence of aggregated γ G-globulin in certain rheumatoid synovial effusions (K. Hannestad, Inst. Exp. Med. Res. Univ. Oslo) p. 511

Zeitschrift für Immunitätsforschung, Allergie und klinische Immunologie 132, 3 (1967)

- Die Massendichte des Herpes simplex-Virus im Cäsiumchlorid-Wasser-Gradienten. Beziehungen zur Plaquemorphologie auf HeLa-Zellen und zum serologischen Typ (W. Schiek, Hygiene Inst., Univ. Göttingen) S. 207
- Investigations os serotypes of leptospirae by infrared spectrophotometry (J. Parnas et al., Academy of Med. Dep. Microbiol. a. Epidemiol. Lublin, Poland) S. 218
- Zur immunologischen Erfassung des Haemoglobin-Haptoglobin-Komplexes (S. Wierbitzky et al., Inst. Gerichtl. Med. U. Kriminal. Ernst-Moritz-Armdt-Univ. Greifswald) S. 225
- The antiglobulin test with tanned red cells in patients with cirrhosis of the liver (V. Hoening et al., Dep. Intern., Med. Charles Univ. Prag) S. 233
- Immunologic enhancement induced by 7 S antibody globulin (J. M. Cruse et al., Dep. Pathol. Univ. Tennessee, Memphis) S. 240
- Eine neue Methode für experimentelle Hauttransplantation (W. Kovac et al., Inst. allgem. u. exp. Pathol. Univ. Wien) S. 247
- Die Simultanprophylaxe gegen Tetanus mit Tetanusimpfstoff und humanem Anti-tetanus Globulin (B. Züst, geburtshilfl. Klin. Univ. Basel) S. 261
- Zur Beurteilung serologischer Reaktionsergebnisse III. (J. Morenz, Inst. Med. Mikrobiol. u. Epidemiol. Med. Akademie Magdeburg) S. 276
- Untersuchungen zur Frage einer Beeinflussung der menschlichen Isoagglutinine durch Nebennierenrindenssterioide, Röntgenstrahlen und antiinflammatorische Mittel (W. Frenger et al., Med. Klin. Univ. Erlangen-Nürnberg) S. 295

Zeitschrift für Immunitätsforschung, Allergie und klinische Immunologie 132, 4 (1967)

- Endotoxin Neutralizing effects of antisera in escherichia coli endotoxin (I. Berczi, Veterin. Med. Res. Inst., Hungarian Acad. Sciences Budapest) p. 303
- Zur Behandlung serologischer Reaktionsergebnisse IV. (J. Morenz, Inst. Med. Mikrobiol. u. Epidemiol. Med. Akademie Magdeburg) S. 308
- Antigene des Bindegewebes I. (R. Timpel et al., Inst. Biochem. Univ. Wien) S. 322
- Is species specific resistance alterable by ethionine? I. (B. Lomniczi, Dep. Pathophysiol. Vet. Med. Res. Inst. Budapest) S. 335
- Über die homologe Übertragung der Tuberkulinallergie bei Ratten (A. Sobbe et al., Pathol. Inst. Univ. Bonn) S. 345
- Studies on the mechanism of delayed type hypersensitivity in tissue cultures VIII. (J. Svejcar et al., Inst. Sera q. Vaccines Res. Inst. Immunol. Prague) p. 352
- A study on the composition of the toxin antiserum flocculates of two Cl.tetani strains (Res. Inst. Epidemiol. a. Microbiol., Sofia) p. 368
- Studies on the mechanism of delayed type hypersensitivity in tissue cultures. IX. (J. Svejcar et al., Inst. Sera a. Vaccines. Res. Inst. Immunol. Prag) p. 378

Zeitschrift für Immunitätsforschung, Allergie und klinische Immunologie 133, 1 (1967)

- Data concerning the mechanism of antihemotherapy in polyarthritic patients (Gy. Vajda et al., Central Lab. Hosp. a. Poliklin. Hungarian State Railwys, Budapest) p. 1
- Chemische und immunologische Untersuchungen von zwei aus Mycobakterium tuberculosis und Mycobacterium

- bovis (BCG) gewonnenen antigen wirksamen Präparaten mit Polysaccharid-Charakter (F. Klose et al., Hyg. Inst. Univ. Kiel) p. 7
- Induktion partieller immunologischer Toleranz gegenüber allogenetischen Hauttransplantaten durch fortgesetzte Kreuztransfusionen zwischen Ratten (W. Müller-Ruchholtz, Hygiene Inst., Univ. Kiel) p. 11
- Antigene des Bindegewebes II. (R. Timpl et al., Inst. Biochem. Univ. Wien) S. 20
- Serological data on the distribution of some enteroviruses in Bulgaria (S. Rangelova, Res. Inst. Epidemiol. a. Microbiol., Sofia) p. 36
- Über die protektive Wirkung von Cerebrosid-Injektionen auf die Experimentelle Allergische Ancephalomyelitis (B. Niedieck et al., Heinrich Pette Inst., exp. Virol. a. Immunol., Univ. Hamburg) p. 43
- Agglutination von Streptokokken der Gruppe C durch ein Agglutinin aus *Helix pomatia* (W. Köhler et al., Dtsch. Akademie der Wiss. Berlin, Inst. Microbiol. u. exp. Therapie Jena) p. 50
- Hel, ein neues Blutgruppen-Antigen bei K Schwein (D. O. Schmidt et al., Inst. Blutgruppen- und Resistenzforsch. Tierzuchtforsch. München) p. 54
- Topochemische Anordnung von Gangliosiden in der Erythrozytenmembran (G. Wintzer et al., Max Planck Inst. Hirnforsch. Köln) p. 60
- Über die Rolle von Histamin und 5-Hydroxytryptamin bei der passiven Arthus-Reaktion der Ratte (O. Förster et al., Inst. allgem. u. exp. Pathol. Univ. Wien) p. 68
- Untersuchungen über die Ausscheidung von Anti-A- und Anti-B-Hämagglutininen im menschlichen Mundspeichel (K. Hummel et al., Hygiene Inst. Univ. Freiburg i. Br.) p. 80

Zeitschrift für Immunitätsforschung, Allergie und klinische Immunologie 133, 2 (1967)

- Über die Bildung von Serumfaktoren vom Typ des Rheumafaktors nach Immunisierung mit Herzgewebe beim Kaninchen (R. Altevogt, Hygien. Inst. Westfäl. Wilhelms Univ., Münster) S. 100
- Pinocytosis of salmonella typhimurium "O" endotoxin by the leucocytes of immunized animals (I. Mesrobian et al., Inst. Dr. I. Cantacuzino, Bukarest) S. 108
- Die schützende Wirkung von Zellwänden und Cytoplasma aus *Bordetella pertussis* (J. Milleck, Arbeitsstelle Infektionskrh. Kindesalter, Forsch. Gemeinschaft Dtsch. Akademie Wiss. Berlin) S. 126
- Über die Typenbestimmung von *E. coli*-Stämmen in Stühlen von Säuglingen während des ersten Lebenshalbjahres und über die Antikörperbildung gegen die festgestellten Typen (Z. Nejedlá et al., Inst. Mütter- u. Kinderfürs. Prag-Podoli) S. 134
- Über das Vorkommen von komplementbindenden Antikörpern gegen *Mycoplasma pneumoniae* in der gesunden Bevölkerung (R. Offenauer, Inst. Med. Mikrobiol. u. Epidemiol., Med. Akademie Magdeburg) S. 144
- Einführung immunspezifischer Determinanten in Serumalbumin durch Imidoacylierung (W. Stephan, Wissenschaftl. Abt. „Biotest“ Serum Inst. GmbH, Frankfurt) S. 153
- Komplementsystem und Liquor cerebrospinalis II. (E. Kuwert et al., Inst. Med. Microbiol. Klinikum Essen) S. 159
- Agglutinationsversuche an Streptokokken mit dem Phyttagglutinin aus *Dolichos biflorus* (W. Köhler et al., Dtsch. Akademie Wissenschaft. Berlin) S. 170
- Agglutinationsreaktionen von Mikroorganismen mit *Helix pomatia* Eiweißdrüsen-Extrakt (Anti-Ahel-Agglutinin) (O. Prokop et al., Inst. Gerichtl. Med., Humboldt-Univ. Berlin) S. 176
- Mastzellegranulierung und Kollagenstoffwechsel (W. Raab, Med.-chem. Inst. Univ. Wien) S. 180
- Studies on the mechanism of delayed type hypersensitivity in tissue culture X. (J. Svejcar et al., Res. Inst. Immunol., Prag) p. 187
- Cultivation of peripheral leucocytes in the presence of liver antigen in liver cirrhosis (V. Hoenig et al., I. Dep. Intern. Med. a. Res. Unit. Blood a. Liver Diseases, Prag) p. 199

Zeitschrift für Immunitätsforschung, Allergie und klinische Immunologie 133, 3 (1967)

- Antikörperbildung gegen Schaferythrozyten durch Milzzellen und Blutleukozyten bei der Ratte (J. F. Borel et al., Schweiz. Forsch. Inst. Med. Abt. Davos-Platz) S. 207
- Antikörper-Plaque-Technik mit drei morphologisch unterscheidbaren Erythrozytenarten (U. Kaboth et al., Max-Planck-Inst. Immunbiol., Freiburg i. Br.) S. 221
- Experimentelle Besiedlung des Darmtrakts von Neugeborenen mit dem *E. coli*-Typ 083 und Untersuchungen über die Bildung von Antikörpern (Raja Lodinová et al., Inst. Mütter- u. Kinderfürsorge Prag-Podoli) S. 229
- Research concerning the antigenic structure of *N. meningitidis* I. (N. Nestorescu et al., Dr. I. Cantacuzino Inst. a. Chair of Microbiol., Bukarest) S. 238
- Zur Diagnostik nichtgruppierbarer β -hämolyzierender Streptokokkenstämme (I. Kuntzsch et al., Dtsch. Akademie der Wiss. Berlin Inst. Microbiol. u. exp. Therapie, Jena) S. 251
- Studies on the mechanism of delayed type hypersensitivity in tissue cultures XI. (J. Svejcar et al., Res. Inst. Immunol., Prag) p. 259
- Nachweis von Antikörpern gegen gruppenspezifische Zellwandantigene beta-hämolyzierender Streptokokken in menschlichen Seren I. (B. Heymer et al., Pathol. Inst. Univ. Bonn) S. 275
- Nachweis von Antikörpern gegen gruppenspezifische Zellwandantigene beta-hämolyzierender Streptokokken in menschlichen Seren II. (B. Heymer et al., Pathol. Inst. Univ. Bonn) S. 290
- Zur Charakteristik der S- und R-Formen der Brucellen: Zuckerbausteine und Aminosäuren (J. Parnas et al., Akademie der Med., Inst. Mikrobiol. u. Epidemiol. Lublin, Polen) S. 302
- Einfluß von Kälteres auf die Vakzine-Infektion bei Ratten (G. Fischer et al., Hygiene Inst. Univ. Graz) S. 313

Zeitschrift für Immunitätsforschung, Allergie und klinische Immunologie 133, 4 (1967)

- Studies on vaccination against cholera IV. (I. Joo et al., Inst. Serobacteriol. Production a. Res. „Human“, Budapest) p. 317
- Vergleichende serologische und immunzytologische Untersuchungen bei Polyarthritits chronica progressiva (G. Klein et al., Med. Univ. Klin. Graz) S. 326
- Vitaminkroskopische Untersuchungen an der Bindehaut unter lokaler Allergen-Einwirkung (H. Harders et al., I. Med. Univ. Klin. Hamburg) S. 333
- Die Streptokokken-L-Agglutination mit Streptokokken der Gruppe A, Typ 1, Stamm SF 130 I. (P. Knöll, Dtsch. Akademie der Wiss. Berlin, Inst. Microbiol. u. exp. Therapie, Jena) S. 342
- Die Streptokokken-L-Agglutination mit Streptokokken der Gruppe A, Typ 1, Stamm SF 130 II. (P. Knöll, Dtsch. Akademie der Wiss. Berlin, Inst. Mikrobiol u. exp. Therapie, Jena) S. 351
- Quantitativ immunologische Bestimmungen, Gelfiltrationsanalysen und Immunelektrophoresen bei Paraproteino- sen (H. E. Müller, Med. Klin., Berufsgenossenschaftl. Kranst. „Bergmannsheil“, Bochum) S. 357
- Quantitativ immunologische Serumproteinuntersuchungen bei Lebererkrankungen (H. E. Müller et al., Med. Klin. Berufsgenossenschaftl. Kranst. „Bergmannsheil“, Bochum) S. 366
- Serologische Untersuchungen zur Antigenität und Spezifität löslicher Kollagenfraktionen I. (H. Struck et al., biochem. Abt. II. Chirurg. Univ. Klin. Köln-Merheim) S. 376
- Immunhämatologische Untersuchungen an Teichmuscheln (Anodonta) I. (B. Gibb et al., Inst. Gerichtl. Med. u. Kriminalistik, Ernst-Moritz-Arndt-Univ. Greifswald) S. 383
- Vergleichende tierexperimentelle Untersuchungen über den Cutantest an bestrahlten Hamstern und den Mixed Lymphocyte Culture Test (H. Warnatz et al., Abt. Klin. Immunol. Univ. Krhs. Erlangen-Nürnberg) S. 394
- Technische Vereinfachung des Papaintests nach Wöllner zur Serodiagnostik der infektiösen Mononukleose durch Verwendung konservierter Hammelerythrozyten (P. Aszmus et al., Inst. Med. Mikrobiol. u. Epidemiol. Med. Akademie „Carl Gustav Carus“, Dresden) S. 405