NOTES

Computational Linguistics

1969 International Congress on *Computational Linguistics* will be held at Sångä-Säby, Sweden, about 35 km. from Stockholm, 1-4 September 1969.

Scope: Computational linguistics concerning linguistic problems, solved by or solvable by "computation" (not necessarily investigations by computer). Theoretical linguistic aspects of mechanical translation, document retrieval, and design of programming languages are also included.

Organizer: The International Committee on Computational Linguistics: David Hays (Chairman), A. Hood Roberts (Americ. secr.), Yves Gentilhomme (Eur. secr.), Hans Karlgren, Olga S. Kulagina, Bernard Vauquois, Pieter A. Verburg, Hiroshi E. Wada.

Precedence: New York 1965, Grenoble 1967.

Host Organization 1969: The KVAL Group, Stockholm.

General Coordinator: Hans Karlgren, KVAL, Stockholm.

Program Committee: Helmut Schnelle, Benny Brodda, H. Brandt Corstius, Osamu Fujimura, Asa Kasher, Henry Kucera, Solomon Marcus, Petr Pitha, Joseph Raben, G. Rondeau, Robert Wall.

Official languages: English, French, German and Russian. Authors will be asked to present a summary in English *and* French.

Further information can be obtained from KVAL, Fack, Stockholm 40.

Erratum

B. Einarsson, BIT 8:4.

The numerical constant given in the last sentence of theorem 1 on page 283 is valid only for uniform partition of the interval. In the general case we have

$$|S^{(m)}(x) - f^{(m)}(x)| \leq h^{4-m} \cdot \frac{K}{m!} \cdot \max_{0 \leq x \leq 1} |f^{IV}(x)|,$$

where

$$K = 18 + 72 \cdot R \cdot \frac{(1+R)^2(1+2R)}{3+4R}$$

and

$$R = \underset{\substack{1 \leq j \leq N \\ 1 \leq i \leq N}}{\text{Max}} (h_i/h_j)$$

for $m=0, 1, 2$, and 3 .