- Ceriani, R. L.; Peterson, J.; Abraham, S. Removal of cell surface material by enzymes used to dissociate mammary gland cells. In Vitro 14: 887-894; 1978.
- Hosick, H. L.; DeOme, K. B. Plating and maintenance of epithelial tumor cells in primary culture: Interacting roles of serum and insulin. Exp. Cell Res. 84: 419-425; 1974.
- Daniel, C. W.; DeOme, K. B. Growth of mouse mammary glands after monolayer culture. Science 149: 634-636; 1965.
- Medina, D. Preneoplastic lesions in mouse mammary tumorigenesis. Methods Cancer Res. 7: 353-414; 1973.

- Hosick, H. L. A note on growth of epithelial tumor cells in primary culture. Cancer Res. 34: 259-261; 1974.
- Voyles, B. A.; McGrath, C. M. Markers to distinguish normal and neoplastic mammary epithelial cells *in vivo*: Comparison of saturation density, morphology and concanavalin A reactivity. Int. J. Cancer 18: 498-509; 1976.
- White, M. T.; Hu, A. S.; Hamamoto, S. T.; Nandi, S. In vitro analysis of proliferating epithelial cell populations from the mouse mammary glands: Fibroblast-free growth and serial passage. In Vitro 14: 271-281; 1978.

This study was supported by Contract CB-43907 from the National Institutes of Health. We thank Debbie Delmore of the EM Core of the Center for Population Research and Reproductive Medicine for the excellent electron micrographs.

ERRATUM

Air Bladder Cells: A New Continuous Cell Line From Goldfish

Thomas B. Shea, Tomone Yano, and Eugene S. Berry

Department of Biology, Northeastern University, Boston, MA 02115

Volume 19, No. 3, Part II, p. 255, abstract no. 83. The following statement should have been placed after the last line: The Air Bladder III cell line was originally initiated by Dr. Janis Gabliks in the Department of Biology, Northeastern University, and the cells used in this study were courteously supplied by Dr. Gabliks.