- Couch, J. A. and P. J. Fritz. 1990. Isolation of DNA from plants high in polyphenolics. Plant Mol. Biol. Reptr. 8:8-12.
- Doyle, J. J. and J. L. Doyle. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. Phytochem Bull. 19:11-15.
- Fang, G., S. Hammar and R. Rebecca. 1992 A quick and inexpensive method for removing polysaccharides from plant genomic DNA. BioTechniques 13:52-56.
- John, M. E. 1992. An efficient method for isolation of RNA and DNA from plants containing polyphenolics. Nuc. Acids Res. 20:2381.
- Kopperud, C. and J. W. Einset. 1995. DNA isolation from begonia leaves. Plant Mol. Biol. Reptr. 13:129-130.
- Lı, Q.-B., Q.-Y. Caı and C. L. Guy. 1994. A DNA extraction method for RAPD analysis from plants rich in soluble polysaccharides. Plant Mol. Biol. Reptr. 12:215-220.
- Lodhi, M. A., G.-N. Ye, N F. Weeden, and B. I. Reisch. 1994. A simple and efficient method for DNA extraction from grapevine cultivars and *Vitis* species Plant Mol. Biol. Reptr. 12:6-13.
- Rether, B., G. Delmas and A. Laouedj. 1993 Isolation of polysaccharide-free DNA from plant. Plant Mol. Biol. Reptr. 11:333-337.
- Rogers, S. U., and A. J. Bendich 1985 Extraction of DNA from milligram amounts of fresh, herbarium and mummified plant tissues Plant Mol. Biol. 5:69-76
- Rogers, S. O. and A. J. Bendich. 1988. Extraction of DNA from plant tissues. Plant Mol. Biol. Manual A6.1-10.
- Thomas, M. R., S. Matsumoto, P. Cain, and N. S. Scott. 1993. Repetitive DNA of grapevine: Classes present and sequences suitable for cultivar identification. Theor. Appl. Genet. 86:173-180.
- Thomson, D. and R. Henry. 1993. Use of DNA from dry leaves for PCR and RAPD analysis. Plant Mol. Biol. Reptr. 11:202-206.

## Erratum

Albino Maggio, Matilde Paino D'Urzo, Laura R. Abad, Satomi Takeda, Paul M. Hasegawa and Ray A. Bressan. 1996. Large quantities of recombinant PR-5 proteins from the extracellular matrix of tobacco: Rapid production of microbial-recalcitrant proteins. *PMBR* 14(3):249-260.

- p. 254. Fig. 2. The arrows for A9 and osmotin are in the wrong place.
- p. 255. Fig. 3. The "zoom" on the figure is showing the marker but is cutting off the purified protein. In other words, A9 is on the gel but is labelled *TO*, and the TO band is not there.
- p. 256. Fig. 4. It is IEF, and not IFE.