

Errata

In the article, "Diet and Feeding Ecology of Gray Woolly Monkeys (*Lagothrix lagotricha cana*) in Central Amazonia: Comparisons with Other Atelines," by Carlos A. Peres (*International Journal of Primatology*, Volume 15, Number 3, June 1994, pp. 333-372) the following corrections should be noted:

- p. 333, line 3: ...($4^{\circ}50'S$, $65^{\circ}16'W$)...
- p. 333, line 6: ...account for 73 and 7%...
- p. 339, line 17: ...a powerful bite to open...
- p. 353: *A. geoffroyi*: No. food species used (fruit/total) 36/—
(not 236/—)
- p. 353: *Lagothrix lagotricha cana*: Source^b (1)^c
- p. 354, line 5: ...*Clarisia racemosa*) rather than from genera...
- p. 357, line 32: ...and size preadaptation to folivory...
- p. 371, lines 13-14: Peres, C.A. (1993). Structure and spatial organization of an Amazonian terra firme forest primate community. *J. Tropical Ecol.* 9: 259-276.
- p. 371, lines 15-16: Peres, C.A. (1994). Primate responses to phenological changes in an Amazonian terra firme forest. *Biotropica* 26: 98-112.
- p. 371, lines 17-18: Peres, C.A. (1993). Notes on the ecology of buffy saki monkeys (*Pithecia albicans*, Gray 1860): a canopy seed-predator. *Am. J. Primatol.* 31: 129-140.
- p. 371, lines 19-20: Peres, C.A. (1994). Primates of the Juruá River, western Brazilian Amazonia: body weights, measurements, and notes on distributions. *Folia. Primatol.* 61: 97-103.