

be the only exclusive substance involved in the process but variations in the endogenous levels of other substances like gibberellins, cytokinins, auxin and also ascorbic acid may also be equally involved and the retention or abscission of the organ may be determined by a balance between the inhibitors and the growth promoters.

Acknowledgements

The author is grateful to Dr. O. P. Garg, Professor and Head, Department of Botany, H. A. U., Hissar for guidance and for providing the necessary research facilities.

References

- ADDICOTT, F. T., LYON, J. L.: Physiology of abscisic acid and related substances. — Annu. Rev. Plant Physiol. **20** : 139—164, 1969.
- ADDICOTT, F. T., SMITH, O. E., LYON, J. L.: Some physiological properties of abscisic II. — Plant Physiol. **40** (Suppl.) : XXVI, 1965.
- BADR, S. A., HARTMANN, H. T., MARTIN, G. C.: Endogenous gibberellins and inhibitors in relation to flower induction and inflorescence development in the olive. — Plant Physiol. **46** : 674 to 679, 1970.
- CARNS, H. R., ADDICOTT, F. T., BAKER, K. C., WILSON, R. K.: Acceleration and retardation of abscission by gibberellic acid. In: KLEIN, R. M. (ed.): Plant Growth Regulators. Pp. 559—565. Iowa State Amer. Univ. Press 1961.
- COOMBE, B. G., COHEN, D., PALEGE, L.: Barley endosperm bioassay of gibberellins. — Plant Physiol. **42** : 105—112, 1967.
- CORNWORTH, J. W., MILBORROW, B. V., RYBACK, G.: Synthesis of (\pm) abscisic II. — Nature **206** : 715, 1965.
- DALE, J. E., MILFORD, G. E.: The role of endogenous growth substances in the fruiting of upland cotton. — New Phytol. **64** : 28—37, 1965.
- DAVIES, L. A.: Gas chromatographic identification and measurement of abscisic acid and other plant hormones in the developing cotton fruit. — Ph. D. Diss., Univ. Calif., Davis 1968.
- GARG, O. P., KAPOOR, V.: Retardation of leaf senescence by ascorbic acid. — J. exp. Bot. **23** : 699—703, 1972.
- KHAN, A. A., DOWNING, R. D.: Cytokinin reversal of abscisic acid inhibition of growth and α -amylase synthesis in barley seed. — Physiol. Plant. **21** : 1301—1307, 1968.
- OHKUMA, K., LYON, J. L., ADDICOTT, F. T., SMITH, O. E.: Abscisic II — an abscission accelerating substance from young cotton fruit. — Science **142** : 1592—1593, 1963.
- SMITH, O. E., LYON, J. L., ADDICOTT, F. T., JOHNSON, R. E.: Abscission physiology of abscisic acid. — In: WIGHTMAN, E. W., SETTERFIELD, K. (ed.): Biochemical and Physiological Plant Growth Substances. Pp. 1547—1560. Ring Press, Ottawa 1968.
- VARMA, S. K.: Studies on the extent, periodicity and intensity of flower bud and boll shedding in cotton (*Gossypium hirsutum* L.). — Cotton Dev. **5** (10) : 11—16, 1975.

BOOK REVIEW

NEUNER, A.: BLV Naturführer. Pilze. Alle wichtige Pilze nach Farbfotos bestimmen. — BLV Verlagsgesellschaft, München—Bern—Wien 1975. 143 pp.

This volume is one of the popular books whose importance cannot be ignored in professional literature. The pocket-size of this manual, perfect full-colour photographs and brief descriptions of 91 mushroom species, placing emphasis on particular features (e.g. lower side of the pileus) make it suitable for the use in the field. To enable a better comparison and preclude the possibility of confusion, edible mushrooms are figured together with their poisonous doubles on one page. A short description of their characteristics, such as shape, size, colour, flavour, smell, is given on the facing page. The book will be appreciated not only by amateur mycologists but also by workers in other scientific fields, as it provides a general picture of fungi growing in our woods.