

TABLE II—DEEP TRANSVERSE ARREST.

Number of Cases, 22. Percentage, 0.49. Maternal Mortality, 0. Morbid, 1. Gross Foetal Loss, 0. { Stillbirths, 0. Neonatal Deaths, 0.

No.	Manual rotation and Forceps	Forceps rotation and Forceps	Mother		Result		Child		Remarks
			L	D	L	L	SB	NND	
Primigravidae ..	4	12	16	0	16	0	0	0	—
Multigravidae ..	3	3	6	0	6	0	0	0	—

TABLE II (a)—PERSISTENT OCCIPITO POSTERIOR.

Number of Cases, 110. Percentage, 2.48. Forceps, 34. Maternal Mortality, 0. Gross Foetal Loss, 6. { Stillbirths, 2. Neonatal Deaths, 4.

No.	Spontaneous Face to Pubis	Forceps as P.O.P.	Manual rotation and Forceps		Forceps rotation and Forceps		Mother		Result		Remarks
			L	L	L	D	L	L	SB	NND	
Primigravidae	14	12	3	3	6	35	0	35	0	0	Two sets of twins; 2nd twin P.O.P. in both cases.
Multigravidae	62	9	1	3	3	75	0	70	2	4	Three sets of twins; 1st P.O.P. in 2 cases; both P.O.P. in one case. One set of triplets, 2nd infant P.O.P.

Multigravidae
 Two stillbirths—(1) associated with hydramnios, prolapse of cord and intrauterine death in labour. Foetal abnormality—hydrocephalus. See Prolapse and Presentation of Cord Table VI, page 53 (43,778); (2) associated with hydramnios and previous symphysiotomy. Paracetesis, 6 pints. SB fresh—foetal abnormality—hydrocephalus and spina bifida. See Vaginal Delivery Following Previous Symphysiotomy Table VIII (a) page 63 (61,075).
 Four neonatal deaths—(1) associated with hypochromic anaemia, haemoglobin 42%, congenital abnormality and prematurity. N.N.D at one hour. P.M.—lungs markedly hypoplastic. Abdominal distension due to gross dilatation of urinary bladder with bilateral hydroureter and persistent urachus, the result of atresia of internal urinary meatus (14,722); (2) NND at 36 hours—P.M. extensive intracranial haemorrhage. (47,828); (3) associated with multiple pregnancy, accidental haemorrhage and premature labour—2nd twin P.O.P., NND at 9½ days, weight 2 lb. 7 oz. (52,822). See Accidental Haemorrhage Table XVI, page 105 (4) associated with Rh. incompatibility and post-partum eclampsia. NND at 5 minutes—hydrops foetalis (60,566) See Haemolytic Disease of the Newborn Table XXII, page 127 and Eclampsia Table XVIII (a), page 118.