Aminoglycoside Ototoxicity

Edited by—Stephen A. Lerner, Gregory J. Matz ' Joseph E. Hawkins, Little, Brown and Company, Boston

A very well written book. Those who use antibiotics indiscriminately will find valuable informations and guidance. For them who are keen to have academic persuits regarding the adverse effect of aminoglycosides in animal and human beings will find this book of immense help. Contribution from all over the world has made it worth for post graduates all over the world.

S.D.M.

Special Devices for Hard of Hearing, Deaf, and Deaf—Blind Persons.

JOEL HURVITZ/RICHARD CARMEN

Little, Brown and Company, Boston

Useful collection for running and Hearing handicapped clinic. Should have been little more elaborate regarding its use.

Answer to Quiz

DIAGNOSIS : Tuberculous Dacryocystitis.

Histopathology report :

Inflammatory cells consisting of lymphocytes, histiocytes, plasma cells and Langhans giant cells with areas of caseation seen suggesting tuberculosis.

DISCUSSION : The granuloma was found in the lacrimal fossa, and the sac could not be distinguished from it. Since the ethmoid air sinuses were clear, a diagnosis of tuberculous dacrocystitis has been made.

(1) There are two types of tuberculous dacrocystitis.

(1) Primary tuberculous dacrocystitis : In the absence of any discoverable tuberculous focus throughout the body. The infection is airborne or transmitted by fomites and rarely by blood stream.

(2) Secondary tuberculous dacrocystitis : Four sources of origin are nose, conjunctiva skin and adjacent bones.

Clinically there are four types of tuberculous dacrocystitis.

- (1) Fungating
- (2) Atresic
- (3) Purulent
- (4) Fibrous

The treatment advised is excision of the lacrimal Sac with the surrounding tissue, and chemotherapy for tuberculosis.

Reference

1. System of Ophthalmology—Sir Duke-Elder Volume-XII Ocular Adnexia.

Corrigendum : The names of the authors of Clear Cell Carcinoma of the nose and maxillary sinus are Sudhir Bahadur, P. Ghosh, R. Kaul, P. S. Bhat and P. Chopra.