Korrektur – Corrections

A new Middle Miocene mammalian fauna from Mordoğan (Western Turkey)

TANJU KAYA, Izmir; DENIS GERAADS, Paris & VAHDET TUNA, Izmir

Auf Grund eines Missverständnisses wurde die deutsche Kurzfassung des Beitrags KAYA, GERAADS & TUNA (Paläontologische Zeitschrift 77 (2): 293–302) wesentlich nicht überarbeitet. Daher wird an dieser Stelle eine korrigierte Version nachgeliefert.

Kurzfassung: Ardiç-Mordogan ist eine neue Säugetier-Fundstelle auf der Karaburun-Halbinsel in der Westtürkei. Von besonderem Interesse sind die Carnivora, u.a. mit dem vollständigsten bekannten Exemplar von *Percrocuta miocenica* und der primitiven Hyänenart *Protictitherium intermedium*, von der eine neue Unterart, *Protictitherium intermedium paralum*, beschrieben wird. Die Fauna gleicht stark einigen anderen mittelmiozänen Faunen aus der Region (Çandir, Paşalar und İnönü in der Türkei sowie Prebreza in Serbien), die alle der selben Säugetierzone angehören dürften. Die Ungulaten belegen offene Lebensräume, die im Serravallium in der Türkei und auf dem Balkan weit verbreitet gewesen sein müssen.

Schlüsselwörter: Percrocutidae, Hyaenidae, Amebelodontidae, Bovidae, Mittelmiozän, Türkei

Due to communication mishaps the German Kurzfassung of the contribution KAYA, GERAADS & TUNA (Paläontologische Zeitschrift 77 (2): 293–302) was not revised. Consequently, we here provide a substitute version.

Abstract: Ardiç-Mordogan is a new fossil Mammal locality in the Karaburun Peninsula of Western Turkey. Among its fauna, which is described here, the carnivores are especially interesting, with the most complete specimens ever found of *Percrocuta miocenica* and of a primitive species of hyaenid, of which a new subspecies is described, *Protictitherium intermedium paralum*. This fauna is strongly reminiscent of those of several other Middle Miocene localities in this area, Çandir, Paşalar and İnönü in Turkey, and Prebreza in Serbia, and they must all belong to the same mammalian zone. Their ungulates attest an open environment which must have been widespread in the Turko-Balkan area in Serravallian times.

Keywords: Percrocutidae, Hyaenidae, Amebelodontidae, Bovidae, Middle Miocene, Turkey