

Opening propofol ampoules safely

To the Editor:

I'd like to draw the readers attention on the letter published by Huda and Kahn in the 2001 July/August issue of the Canadian Journal of Anesthesia regarding their technique of opening ampoules.¹

An identical technique with an almost identical figure has been published by us in 1997, in another journal.²

Yitzhak Cohen MD
Lucio Glantz MD
Tiberiu Ezri MD
Holon, Israel

References

- 1 Huda W, Khan RM. Opening an ampoule? Start from scratch. *Can J Anesth* 2001; 48: 715.
- 2 Cohen Y, Glantz L, Ezri T. Breaking glass vials. *Anesthesiology* 1997; 86: 1215.

REPLY:

We thank you for giving us the opportunity to respond to the comments made by Cohen, Glantz and Ezri on our article entitled "Opening an ampoule? Start from a scratch", published in the 2001 July/August issue of the Canadian Journal of Anaesthesia.¹

We agree that the technique of breaking the non snap-off ampoules, which is commonly practiced at our centre and was independently reported by us, is the same as that of Cohen, Glantz and Ezri. However we modified this method to break propofol ampoules specifically.

These partially, one point cut ampoules, when broken as instructed by the manufacturer often result in the formation of a sharpened vertical spike, which may lead to injury, even to the extent of requiring plastic surgery.²⁻⁴ The fact that various techniques were proposed to break these one point cut propofol ampoules without the formation of spikes,⁴⁻⁶ prompted us to apply the method in question – rubbing the bottom edge of an ampoule against the neck of another – to break these ampoules specifically.

Thus, though the two techniques are similar, we have emphasized the use of this technique for breaking open propofol ampoules in a spikeless fashion.

Wasimul Huda MBBS MD
Rashid M. Khan MD
Aligarh, India

References

- 1 Huda W, Khan RM. Opening an ampoule? Start from a scratch. *Can J Anesth* 2001; 48: 715.

- 2 Ali PB. Persistent problem with propofol ampoules. *Anaesthesia* 1997; 52: 1020.
- 3 Palmer J, Ball D. Opening propofol ampoules. *Anaesthesia* 1998; 53: 416–7.
- 4 Morrison WJ. Another cracking idea. *Anaesthesia* 1999; 54: 307–8.
- 5 Smith I. The direct flick method for opening ampoules. *Anaesthesia* 1998; 53: 830.
- 6 Koga K, Hirose M. Scissors as a propofol ampoule 'snapper'? *Anaesthesia* 1999; 54: 919–10.