



# Correction: From gene banks to farmer's fields: using genomic selection to identify donors for a breeding program in rice to close the yield gap on smallholder farms

Ryokei Tanaka<sup>1</sup> · James Lui-King<sup>2,3</sup> · Sarah Tojo Mandaharisoa<sup>4</sup> · Mbolatantely Rakotondramanana<sup>4</sup> · Harisoa Nicole Ranaivo<sup>4</sup> · Juan Pariasca-Tanaka<sup>3</sup> · Hiromi Kajiya Kanegae<sup>1</sup> · Hiroyoshi Iwata<sup>1</sup> · Matthias Wissuwa<sup>3</sup> 

© The Author(s), under exclusive licence to Springer-Verlag GmbH Germany, part of Springer Nature 2024

## Correction: Theoretical and Applied Genetics (2021) 134:3397–3410

<https://doi.org/10.1007/s00122-021-03909-9>

The original version of this article omitted to include information about a co-author. The co-author James Lui-King should have been listed among the authors of the manuscript and in the author contribution statement. Also, the Monsanto Beachell-Borlaug International Scholars Program (MBBISP) should have been mentioned under Funding information. The original article has been corrected accordingly. The corrected statements are given below.

**Acknowledgements** This research was supported by the Science and Technology Research Partnership for Sustainable Development (SATREPS), Japan Science and Technology Agency (JST)/Japan International Cooperation Agency (JICA)—Grant No. JPMJSA1608.

The original article can be found online at <https://doi.org/10.1007/s00122-021-03909-9>.

✉ Matthias Wissuwa  
wissuwa@affrc.go.jp

<sup>1</sup> Department of Agricultural and Environmental Biology, Graduate School of Agricultural and Life Sciences, The University of Tokyo, 1-1-1 Yayoi, Bunkyo, Tokyo 113-8657, Japan

<sup>2</sup> International Program in Agricultural Development Studies, Graduate School of Agricultural and Life Sciences, The University of Tokyo, 1-1-1 Yayoi, Bunkyo, Tokyo 113-8657, Japan

<sup>3</sup> Crop, Livestock and Environment Division, Japan International Research Center for Agricultural Sciences (JIRCAS), 1-1 Ohwashi, Tsukuba, Ibaraki 305-8686, Japan

<sup>4</sup> Rice Research Department, The National Center for Applied Research On Rural Development (FOFIFA), Antananarivo 101, Madagascar

Authors thank the IRRI gene bank for providing seeds of accessions used.

**Author Contribution statement** RT, JLK and MW designed the study. RT and MW wrote the manuscript, RT implemented the GP model, RT, HI and MW discussed results, HKK processed SNP data, and JLK, STM, MR, HNR, JPT conducted field experiments and collected and summarized all data.

**Funding** This research was supported by the Science and Technology Research Partnership for Sustainable Development (SATREPS), Japan Science and Technology Agency (JST)/Japan International Cooperation Agency (JICA)—Grant No. JPMJSA1608 and the Monsanto Beachell-Borlaug International Scholars Program (MBBISP).

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.