

Accelerated atrophy of lower leg and foot muscles— a follow-up study of long-term diabetic polyneuropathy using magnetic resonance imaging (MRI)

C. S. Andreassen · J. Jakobsen · S. Ringgaard ·
N. Ejskjaer · H. Andersen

Published online: 9 May 2009
© Springer-Verlag 2009

Erratum to: Diabetologia (2009)
DOI 10.1007/s00125-009-1320-0

Unfortunately the header rows in Tables 1 and 3 were formatted incorrectly in this article. In both tables, the heading ‘Diabetic patients’ applies to data in columns two to four (‘All’, ‘Non-neuropathic patients’ and ‘Neuropathic patients’), with the heading ‘Control participants’ referring only to data in the fifth column (‘All’).

Furthermore, the legend to Figure 5 should have read ‘FMV’ (intrinsic foot muscle volume) not ‘FMW’.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00125-009-1320-0>

C. S. Andreassen (✉) · J. Jakobsen · H. Andersen
Department of Neurology, Aarhus University Hospital,
8000 Aarhus C, Denmark
e-mail: christer.andreassen@ki.au.dk

S. Ringgaard
MR-Research Centre, Aarhus University Hospital Skejby,
Aarhus, Denmark

N. Ejskjaer
Department of Endocrinology M, Aarhus University Hospital,
Aarhus, Denmark