ERRATUM

Erratum to: The p66Shc redox adaptor protein is induced by saturated fatty acids and mediates lipotoxicity-induced apoptosis in pancreatic beta cells

Annalisa Natalicchio¹ • Federica Tortosa¹ • Rossella Labarbuta¹ • Giuseppina Biondi¹ • Nicola Marrano¹ • Emanuele Carchia² • Anna Leonardini¹ • Angelo Cignarelli¹ • Marco Bugliani³ • Piero Marchetti³ • Gian Paolo Fadini⁴ • Marco Giorgio⁵ • Angelo Avogaro⁴ • Sebastio Perrini¹ • Luigi Laviola¹ • Francesco Giorgino¹

Published online: 1 September 2015
© Springer-Verlag Berlin Heidelberg 2015

Erratum to: Diabetologia
DOI 10.1007/s00125-015-3563-2

Unfortunately, the details of the high-fat diet given in the Methods section of this paper were incorrect. The correct details are given here.

At the age of 3 weeks, mice were randomised to a high-fat diet (HFD; purchased from Mucedola [Settimio Milanese, Milan, Italy] and consisting of 60% energy from hydrogenated palm fat) or continued on a standard diet for an additional 21 days.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00125-015-3563-2>.

✉ Francesco Giorgino
francesco.giorgino@uniba.it

¹ Department of Emergency and Organ Transplantation, Section of Internal Medicine, Endocrinology, Andrology and Metabolic Diseases, University of Bari Aldo Moro, Piazza Giulio Cesare, 11, 70124 Bari, Italy

² IRGS Biogem, Ariano Irpino, AV, Italy

³ Department of Clinical and Experimental Medicine, Islet Cell Laboratory, University of Pisa, Pisa, Italy

⁴ Department of Medicine, Venetian Institute of Molecular Medicine, University of Padua, Padua, Italy

⁵ Department of Experimental Oncology, European Institute of Oncology, Milan, Italy