75. Tägil M, Aspenberg P (2001) Fibrous tissue armoring increases the mechanical strength of an impacted bone graft. *Acta Orthop Scand* 72:78–82
76. Toms AD, Barker RL, Jones RS, Kuiper JH (2004) Impaction bone-grafting in revision joint replacement surgery. *J Bone Joint Surg Am* 86-A:2050–2060
77. Ullmark G (2000) Bigger size and defatting bone chips will increase cup stability. *Arch Orthop Trauma Surg* 120:445–447
78. Ullmark G, Hovelius L (1996) Impacted morsellized allograft and cement for revision of total knee arthroplasty: a preliminary report of 3 cases. *Acta Orthop Scand* 67:10–12
79. Vanhegan IS, Malik AK, Jayakumar P, Ul Islam S, Haddad FS (2012) A financial analysis of revision hip arthroplasty. *J Bone Joint Surg Br* 94-B:619–623
80. Waddell BS, Valle DAG (2017) Reconstruction of non-contained acetabular defects with impaction bone grafting, a reinforcement mesh and a cemented polyethylene acetabular component. *Bone Joint J* 99-B:25–30
81. Wassilew GI, Janz V, Perka C, Müller M (2017) Defektadaptierte acetabuläre Versorgung mit der Trabecular-Metal-Technologie. *Orthopäde* 46:148–157
82. Wilson MJ, Hook S, Whitehouse SL, Timperley AJ, Gie GA (2016) Femoral impaction bone grafting in revision hip arthroplasty. *Bone Joint J* 98-B:1611–1619
83. Wimmer MD, Randau TM, Deml MC, Ascherl R, Nöth U, Forst R, Gravius N, Wirtz D, Gravius S (2013) Impaction grafting in the femur in cementless modular revision total hip arthroplasty: a descriptive outcome analysis of 243 cases with the MRP-Titan revision implant. *BMC Musculoskelet Disord* 14:19
84. Windhager R, Hobusch GM, Matzner M (2017) Allogene Knochentransplantate für biologische Rekonstruktionen von Knochendefekten. *Orthopäde* 46:656–664
85. Wraight PJ, Howard PW (2008) Femoral impaction bone allografting with an cemented collarless, polished, tapered stem in revision hip replacement. *J Bone Joint Surg Br* 90-B:1000–1004

Orthopäde 2018 · 47:66
<https://doi.org/10.1007/s00132-017-3499-y>
 Online publiziert: 18. Oktober 2017
 © Springer Medizin Verlag GmbH 2017

CrossMark

F. Barvencik · M. Ameling

Institut für Osteologie und Biomechanik, Universitätsklinikum Hamburg-Eppendorf, Hamburg, Deutschland

Correction: Vitamin-D-Stoffwechsel des Knochens

Correction to:

Orthopäde 2015

<https://doi.org/10.1007/s00132-015-3135-7>

Sehr geehrter Leser,
 sehr geehrte Leserin,

leider wurde im oben genannten Beitrag in der *Zusammenfassung*, im *Abstract*, im *Fazit für die Praxis* und im Abschnitt *Optimale Calcidiolkonzentration* versehentlich der Begriff „Calcitriol“ anstelle von „Calcidiol“ verwendet.

Wir bitten um Berücksichtigung der Korrektur und entschuldigen uns für den Fehler.

Die Redaktion

Korrespondenzadresse

Prof. Dr. F. Barvencik

Institut für Osteologie und Biomechanik,
 Universitätsklinikum Hamburg-Eppendorf
 Martinistr. 52, 20246 Hamburg, Deutschland
fbarvenc@uke.de

Die Online-Version des Originalartikels ist unter
<https://doi.org/10.1007/s00132-015-3135-7> zu
 finden.