CORRECTION

Correction to: Prognostic impact of sustained new-onset atrial fibrillation in critically ill patients

Takuo Yoshida^{1*} , Shigehiko Uchino¹, Yusuke Sasabuchi², Yasuhiro Hagiwara³ and the AFTER-ICU study group

© 2020 Springer-Verlag GmbH Germany, part of Springer Nature

Correction to: *Intensive Care Med* (2020) 46:27–35

<https://doi.org/10.1007/s00134-019-05822-8>

The original version of this article unfortunately contained incorrect data for the SOFA score in the Table 1. The number of missing data of this score presented in the manuscript was also incorrect. Because the authors failed to add the score of renal part for calculating SOFA scores for each patient, the SOFA score in the primary manuscript was lower than the correct data unintentionally.

The SOFA score was not used in the multivariable analyses and was also not discussed in the manuscript. The authors apologize for the presentation of incorrect data. The corrected Table 1 can be found below. In the results section it should read: “Data were missing only for BMI (1 patient) and SOFA score (11 patients).”

*Correspondence: aftericustudy@gmail.com

¹ Intensive Care Unit, Department of Anesthesiology, Jikei University School of Medicine, Nishi-Shinbashi Minato-ku, Tokyo 105-8471, Japan
Full author information is available at the end of the article

The original article can be found online at <https://doi.org/10.1007/s00134-019-05822-8>.

Table 1 Demographic and clinical characteristics: non-sustained AF vs. sustained AF

	Overall (<i>n</i> = 412)	Non-sustained AF (<i>n</i> = 320)	Sustained AF (<i>n</i> = 92)	<i>p</i> value
Age, years	75 (67–81)	74 (66–80)	76 (67–83)	0.106
Male sex, <i>n</i> (%)	277 (67)	216 (68)	61 (66)	0.9
Body mass index, kg/m ^{2a}	22 (20–25)	22 (20–25)	23 (19–26)	0.976
Hypertension, <i>n</i> (%)	192 (47)	149 (47)	43 (47)	1
Diabetes, <i>n</i> (%)	109 (27)	88 (28)	21 (23)	0.422
Congestive heart failure, <i>n</i> (%)	43 (10)	36 (11)	7 (7.6)	0.438
Ischemic heart disease, <i>n</i> (%)	43 (10)	37 (12)	6 (6.5)	0.181
Prior stroke or TIA, <i>n</i> (%)	43 (10)	34 (11)	9 (9.8)	1
CHADS2 score	1 (1–2)	1 (1–2)	1 (0–2)	0.838
Chronic hemodialysis, <i>n</i> (%)	23 (5.6)	19 (5.9)	4 (4.3)	0.797
Previous medication				
Calcium-channel blockers, <i>n</i> (%)	135 (33)	106 (33)	29 (32)	0.802
β-Blocking agents, <i>n</i> (%)	56 (14)	46 (14)	10 (11)	0.49
ACE inhibitors, <i>n</i> (%)	22 (5.3)	19 (5.9)	3 (3.3)	0.433
ARBs, <i>n</i> (%)	87 (21)	64 (20)	23 (25)	0.312
Antidiabetic agents, <i>n</i> (%)	94 (23)	78 (24)	16 (17)	0.204
Anticoagulants, <i>n</i> (%)	30 (7.3)	22 (6.9)	8 (8.7)	0.504
Antiarrhythmic drugs, <i>n</i> (%)	5 (1.2)	5 (1.6)	0 (0)	0.591
Patient category				
Non-scheduled surgical, <i>n</i> (%)	94 (23)	71 (22)	23 (25)	0.849
Scheduled surgical, <i>n</i> (%)	61 (15)	48 (15)	13 (14)	
Medical, <i>n</i> (%)	257 (62)	201 (63)	56 (61)	
APACHE II score at ICU admission	23 (18–29)	23 (17–29)	24 (19–28)	0.553
SOFA at AF onset ^b	7 (4–10)	7 (4–10)	8 (5–10)	0.126
From ICU admission to AF onset, days	1.6 (0.7–3.0)	1.6 (0.7–3.1)	1.7 (0.7–2.8)	0.972
Infection at AF onset, <i>n</i> (%)	286 (69)	215 (67)	71 (77)	0.073
MV at AF onset, <i>n</i> (%)	247 (60)	185 (58)	62 (67)	0.117
RRT at AF onset, <i>n</i> (%)	101 (25)	79 (25)	22 (24)	1

AF atrial fibrillation, TIA transient ischemic attack, CHADS2: one point: recent congestive heart failure, hypertension, age older than 75 years, diabetes mellitus; two points: transient ischemic attack or a prior stroke, ACE angiotensin converting enzyme, ARBs angiotensin II receptor blockers, APACHE II Acute Physiology and Chronic Health Evaluation II, SOFA Sequential Organ Failure Assessment, MV mechanical ventilation, RRT renal replacement therapy

^a Missing data: one patient

^b Missing data: eleven patients

Author details

¹ Intensive Care Unit, Department of Anesthesiology, Jikei University School of Medicine, Nishi-Shinbashi Minato-ku, Tokyo 105-8471, Japan. ² Data Science Center, Jichi Medical University, Tochigi, Japan. ³ Department of Biostatistics, The University of Tokyo, Tokyo, Japan.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Published online: 6 October 2020