Correction to: The complexity of bony malalignment in patellofemoral disorders: femoral and tibial torsion, trochlear dysplasia, TT–TG distance, and frontal mechanical axis correlate with each other

Florian B. Imhoff¹ · Victor Funke¹ · Lukas N. Muench¹ · Andreas Sauter² · Maximilian Englmaier² · Klaus Woertler² · Andreas B. Imhoff¹ · Matthias J. Feucht¹

Published online: 21 June 2019

© European Society of Sports Traumatology, Knee Surgery, Arthroscopy (ESSKA) 2019

Correction to: Knee Surgery, Sports Traumatology, Arthroscopy
<https://doi.org/10.1007/s00167-019-05542-y>

Unfortunately, the given family names of authors were incorrectly published in original publication and the correct names are updated here. The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00167-019-05542-y>.

✉ Andreas B. Imhoff
imhoff@tum.de

Florian B. Imhoff
f.imhoff@tum.de

Victor Funke
victor.funke@tum.de

Lukas N. Muench
lukas.muench@tum.de

Andreas Sauter
andreas.sauter@tum.de

Maximilian Englmaier
max.englmaier@tum.de

Klaus Woertler
klaus.woertler@tum.de

Matthias J. Feucht
matthias.feucht@tum.com

¹ Department of Orthopaedic Sports Medicine, Technical University of Munich, Ismaningerstr. 22, 81675 Munich, Germany

² Department of Diagnostic and Interventional Radiology, Technical University of Munich, Ismaningerstr 22, Munich 81675, Germany