

Non-singular expressions for the gravity gradients in the local north-oriented and orbital reference frames

M.S. Petrovskaya · A.N. Vershkov

Published online: 11 October 2006
© Springer-Verlag 2006

Erratum to: J Geodesy 80:117–127
DOI 10.1007/s00190-006-0031-2

In the first line of Eq. (54) on page 126 there should be the expression $a_{n,m}=0$ while it is wrongly printed $a_{n,m}=70$.

Please find below the corrected Eq. (54):

$$\left. \begin{aligned} a_{n,m} &= 0, \quad |m| = 0, 1 \\ a_{n,m} &= \frac{\sqrt{1+\delta_{|m|,2}}}{4} \sqrt{n^2 - (|m|-1)^2} \sqrt{n+|m|} \sqrt{n-|m|+2}, \quad 2 \leq |m| \leq n \\ b_{n,m} &= \frac{(n+|m|+1)(n+|m|+2)}{2(|m|+1)}, \quad |m| = 0, 1 \\ b_{n,m} &= \frac{n^2+m^2+3n+2}{2}, \quad 2 \leq |m| \leq n \\ c_{n,m} &= \frac{\sqrt{1+\delta_{|m|,0}}}{4} \sqrt{n^2 - (|m|+1)^2} \sqrt{n-|m|} \sqrt{n+|m|+2}, \quad |m| = 0, 1 \\ c_{n,m} &= \frac{1}{4} \sqrt{n^2 - (|m|+1)^2} \sqrt{n-|m|} \sqrt{n+|m|+2}, \quad 2 \leq |m| \leq n \quad n = 2, 3, \dots, N \end{aligned} \right\} \quad (54)$$

The online version of the original article can be found at
<http://dx.doi.org/10.007/s00190-006-0031-2>.

M.S. Petrovskaya (✉) · A.N. Vershkov
Central (Pulkovo) Astronomical Observatory of the
Russian Academy of Sciences, Pulkovskoe Shosse 65/1,
196140, St. Petersburg, Russia
e-mail: petrovsk@gao.spb.ru