

Correction to: One-pot fabrication of dual-emission and single-emission biomass carbon dots for Cu²⁺ and tetracycline sensing and multicolor cellular imaging

Lihui Wu¹ · Ruiqing Long¹ · Te Li¹ · Cui Tang² · Xia Tong¹ · Ying Guo² · Shuyun Shi¹ · Haiyan Xiang³ · Chaoying Tong¹

Received: 8 September 2020 / Accepted: 8 September 2020 / Published online: 18 September 2020
© Springer-Verlag GmbH Germany, part of Springer Nature 2020

Correction to: Anal Bioanal Chem

<https://doi.org/10.1007/s00216-020-02882-4>

The authors would like to call the reader's attention to the fact that unfortunately the wrong file was published as Fig. 2. Please find the correct Fig. 2 below.

The online version of the original article can be found at <https://doi.org/10.1007/s00216-020-02882-4>

✉ Ying Guo
guoying881212@csu.edu.cn


✉ Shuyun Shi
shuyshi@csu.edu.cn

✉ Haiyan Xiang
xhy330@126.com

¹ College of Chemistry and Chemical Engineering, Central South University, Changsha 410083, Hunan, China

² Department of Clinical Pharmacology, Xiangya Hospital; Hunan Key Laboratory of Pharmacogenetics, Central South University, Changsha 410078, Hunan, China

³ School of Pharmaceutical Sciences, Southern Medical University, Guangzhou 510515, Guangdong, China



Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.