



## Correction to: Development of capillary-paper spray for small-molecule analysis in complex samples

Chaozi Liu<sup>1,2</sup> · Yuze Li<sup>1,2</sup> · Caiqiao Xiong<sup>1</sup> · Zongxiu Nie<sup>1,3</sup>

Received: 16 March 2021 / Accepted: 16 March 2021 / Published online: 26 March 2021  
© Springer-Verlag GmbH Germany, part of Springer Nature 2021

**Correction to: Analytical and Bioanalytical Chemistry**  
<https://doi.org/10.1007/s00216-020-03072-y>

The authors would like to call the reader's attention to the fact that, unfortunately, there was a mistake in the order of the affiliations of all authors. Please find the correct information below:

Chaozi Liu,<sup>a, b</sup> Yuze Li,<sup>a, b</sup> Caiqiao Xiong,<sup>\*a</sup> Zongxiu Nie<sup>\*a, c</sup>

- a. Beijing National Laboratory for Molecular Sciences, Key Laboratory of Analytical Chemistry for Living Biosystems, Institute of Chemistry, Chinese Academy of Sciences, Beijing, 100190, China.
- b. University of the Chinese Academy of Sciences, Beijing, 100049, China
- c. National Centre for Mass Spectrometry in Beijing, Beijing, 100190, China.

**Publisher's note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The online version of the original article can be found at <https://doi.org/10.1007/s00216-020-03072-y>

---

✉ Caiqiao Xiong  
xiongq@iccas.ac.cn

✉ Zongxiu Nie  
znjie@iccas.ac.cn

<sup>1</sup> Beijing National Laboratory for Molecular Sciences, Key Laboratory of Analytical Chemistry for Living Biosystems, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, China

<sup>2</sup> University of the Chinese Academy of Sciences, Beijing 100049, China

<sup>3</sup> National Centre for Mass Spectrometry in Beijing, Beijing 100190, China