



## Correction to: Comparison of phytochemical composition of *G. biloba* extracts using a combination of non-targeted and targeted analytical approaches

Bradley J. Collins<sup>1</sup> · Season P. Kerns<sup>2</sup> · Kristin Aillon<sup>2</sup> · Geoffrey Mueller<sup>3</sup> · Cynthia V. Rider<sup>1</sup> · Eugene F. DeRose<sup>3</sup> · Robert E. London<sup>3</sup> · James M. Harnly<sup>4</sup> · Suramya Waidyanatha<sup>1</sup>

Published online: 17 August 2021

© Springer-Verlag GmbH Germany, part of Springer Nature 2021

**Correction to: Analytical and Bioanalytical Chemistry**

<https://doi.org/10.1007/s00216-020-02839-7>

Unfortunately, there was an error in Figure 1 of this manuscript; please find the correct information below:

**Publisher's note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The online version of the original article can be found at <https://doi.org/10.1007/s00216-020-02839-7>

---

✉ Bradley J. Collins  
bradley.collins@nih.gov

<sup>1</sup> Division of the National Toxicology Program, National Institute of Environmental Health Sciences, Research Triangle Park, NC 27709, USA

<sup>2</sup> MRI Global, Kansas City, MO 64110, USA

<sup>3</sup> Division of Intramural Research, National Institute of Environmental Health Sciences, Research Triangle Park, NC 27709, USA

<sup>4</sup> U.S. Department of Agriculture, Beltsville Human Nutrition Research Center, Methods and Applications Food Composition Lab, Beltsville, MD 20705, USA

**Fig. 1** Chromatograms of unhydrolyzed GbE unfinished samples (GbE A–T), commercial GbE finished products (GbE W–Z), NTP lots (1, 1F), and NIST standard extract (GbE U) and tablet (GbE V)>

