Correction to: Risk factors for vancomycin nephrotoxicity and time course of renal function during vancomycin treatment

Toshinori Hirai¹ • Kazuhiko Hanada² • Ayako Kanno¹ • Megumi Akashi¹ • Toshimasa Itoh¹

Published online: 19 March 2019

© Springer-Verlag GmbH Germany, part of Springer Nature 2019

Correction to: European Journal of Clinical Pharmacology
<https://doi.org/10.1007/s00228-019-02648-7>

After online publication, we found a typographical error in Table 2. We consider correcting “VCM trough concentration > 20 g/mL” to “VCM trough concentration > 20 µg/mL”.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s00228-019-02648-7>

✉ Toshinori Hirai
hirai.toshinori@twmu.ac.jp

¹ Department of Pharmacy, Tokyo Women's Medical University Medical Center East, 2-1-10, Nishiogu, Arakawa-ku, Tokyo 116-0011, Japan

² Department of Pharmacometrics and Pharmacokinetics, Meiji Pharmaceutical University, 2-522-1 Noshio, Kiyose, Tokyo 204-8588, Japan