



Correction to: Decreasing thickness and remodeling of ligamentum flavum after oblique lumbar interbody fusion

Akaworn Mahatthanatrakul¹ · Hyeun Sung Kim² · Guang-Xun Lin³ · Jin-Sung Kim⁴

Published online: 7 July 2020

© Springer-Verlag GmbH Germany, part of Springer Nature 2020

Correction to: Neuroradiology (2020)

<https://doi.org/10.1007/s00234-020-02414-y>

In the article "Decreasing Thickness and Remodeling of Ligamentum Flavum After Oblique Lumbar Interbody Fusion", Fig. 2 captions contained mistakes as descriptions for the Figure sections were not assigned correctly.

The correct Fig. 2 captions are:

Fig. 2 Magnetic resonance imaging measurement. **a** Spinal canal cross-sectional area. **b** Ligamentum flavum thickness calculated by the average of left and right side thickness of ligamentum flavum at the thickest part. **c** Ligamentum flavum area. **d** Spinal canal width. **e** Foraminal area

The online version of the original article can be found at <https://doi.org/10.1007/s00234-020-02414-y>

✉ Jin-Sung Kim
mdlukekim@gmail.com

¹ Department of Orthopaedics, Naresuan University Hospital, Phitsanulok, Thailand

² Department of Neurosurgery, Nanyang Hospital, Seoul, South Korea

³ Department of Orthopedics, The First Affiliated Hospital of Xiamen University, Xiamen, People's Republic of China

⁴ Spine Center, Department of Neurosurgery, Seoul St. Mary's Hospital, College of Medicine, The Catholic University of Korea, Seoul, South Korea