



Correction to: Association of plaque enhancement on vessel wall MRI and the phosphodiesterase 4D variant with stroke recurrence in patients with symptomatic intracranial atherosclerosis

Chuanhui Xu¹ · Jun Qin² · Jinhui Yu¹ · Yan Sun¹ · Dongmin Hu¹ · Gang Wu¹ · Yang Li²

Published online: 22 February 2023

© Springer-Verlag GmbH Germany, part of Springer Nature 2023

Correction to: Neuroradiology (2022) 64:1781–1794
<https://doi.org/10.1007/s00234-022-02948-3>

The original publication included an error in the *MRI protocol*. The inspection instrument used was a 3.0-T Magnetom Verio MR scanner (Siemens Healthineers, Erlangen, Germany) with an 8-channel head coil. This error does not change the conclusion or discussion of the article. The authors sincerely apologize for any inconvenience caused by unintentional negligence. The funding is only supported by the Basic Project of Qingpu District Health Committee (w2020-14).

The original article has been corrected.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00234-022-02948-3>.

✉ Yang Li
yang.li@shgh.cn

¹ Department of Radiology, Qingpu Branch of Zhongshan Hospital Affiliated to Fudan University, 1158 Gongyuan East Road, Qingpu District, Shanghai 201700, China

² Department of General Surgery, Shanghai General Hospital, Shanghai Jiao Tong University School of Medicine, 100 Haining Road, Hongkou District, Shanghai 200080, China