



Correction to: Diversity in radiology: the right thing to do, the smart thing to do

Theodore R. Hall¹ · Kathleen Brown²

Published online: 9 September 2022

© The Author(s) 2022

Correction to: *Pediatric Radiology* (2022) 52:1711–1718 <https://doi.org/10.1007/s00247-022-05416-5>

In the last paragraph of the section entitled “Strategies to help promote diversity” (page 1717), the first sentence has been corrected to read:

At the residency selection level, it is important to acknowledge that the existence of bias in the selection process might be increasing the effects of amplification cascade [13].

The word “application” has been corrected to “amplification.”

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00247-022-05416-5>.

✉ Theodore R. Hall
thall@mednet.ucla.edu

¹ UCLA Department of Radiology,
Section of Pediatric Imaging,
757 Westwood Plaza, Los Angeles, CA 90095, USA

² UCLA Department of Radiology,
Section of Cardiothoracic Imaging,
Los Angeles, CA, USA