Correction to: Osteitis: a retrospective feasibility study comparing single-source dual-energy CT to MRI in selected patients with suspected acute gout

Torsten Diekhoff^{1,2} · Michael Scheel¹ · Sandra Hermann³ · Jürgen Mews⁴ · Bernd Hamm¹ · Kay Geert A. Hermann¹

Published online: 5 September 2018
© ISS 2018

Correction to: Skeletal Radiol (2017) 46:185–190
<https://doi.org/10.1007/s00256-016-2533-1>

The original version on this paper contained an error.

The name of Kay Geert A. Hermann, though correctly appeared in the PDF version, were incorrectly displayed in indexing sites. This error occurred because of the incorrect tagging of his name.

The correct tagging should be:

```
<GivenName>Kay</GivenName>  
<GivenName>Geert</GivenName>  
<GivenName>A.</GivenName>  
<FamilyName>Hermann</FamilyName>
```

Indexing sites should now reflect his name as Hermann, K.G.A.

The online version of the original article can be found at <https://doi.org/10.1007/s00256-016-2533-1>

✉ Torsten Diekhoff
torsten.diekhoff@charite.de

¹ Department of Radiology, Charité - Universitätsmedizin Berlin
Campus Mitte, Humboldt-Universität zu Berlin, Freie Universität
Berlin, Berlin, Germany

² Department of Radiology (CCM), Charité – Universitätsmedizin
Berlin, Charitéplatz 1, 10117 Berlin, Germany

³ Department of Rheumatology and Clinical Immunology, Charité –
Universitätsmedizin Berlin Campus Mitte, Berlin, Germany

⁴ Toshiba Medical Systems Europe, BV, Zilverstraat 1,
2701RP Zoetermeer, Netherlands