Correction to: Detection of metastases in newly diagnosed prostate cancer by using 68Ga-PSMA PET/CT and its relationship with modified D'Amico risk classification

Duygu Has Simsek¹ · Yasemin Sanli¹ · Muge Nur Engin¹ · Selcuk Erdem² · Oner Sanli²

Published online: 7 April 2021

© Springer-Verlag GmbH Germany, part of Springer Nature 2021

Correction to: Eur J Nucl Med Mol Imaging

<https://doi.org/10.1007/s00259-020-04995-5>

The figure legends are correctly placed, however, figure images are ordered incorrectly during the publishing process.

Fig. 1 → should be replaced as Fig. 4

Fig. 2 → should be replaced as Fig. 5

Fig. 3 → should be replaced as Fig. 6

Fig. 4 → should be replaced as Fig. 1

Fig. 5 → should be replaced as Fig. 3

Fig. 6 → should be replaced as Fig. 2

The correct order of figures are shown on the next page.

The original article has been corrected.

This article is part of the Topical Collection on Erratum

The online version of the original article can be found at <https://doi.org/10.1007/s00259-020-04995-5>

✉ Duygu Has Simsek
dr.duyguhas@hotmail.com

¹ Istanbul Faculty of Medicine, Department of Nuclear Medicine, Istanbul University, 34093 İstanbul, Fatih, Turkey

² Istanbul Faculty of Medicine, Department of Urology, Istanbul University, 34093 İstanbul, Fatih, Turkey

Fig. 1

Fig. 2

Fig. 3

Fig. 4

Fig. 5

Fig. 6