

# Retraction Note to: Diagnosis of rejection after liver transplantation: use of phosphorus-31 magnetic resonance spectroscopy ( $^{31}\text{P}$ -MRS)

Tao Jiang, Shiyuan Liu, XiangSheng Xiao, XiaoFeng Tao, GuangHua Liu, JinLin Wang

Department of Radiology, Changzheng Hospital, The Second Military Medical University, Feng Yang Road 415, Shanghai, China

## Retraction Note to: *Abdom Imaging* (2012) 37:788–794 DOI: 10.1007/s00261-008-9451-1

The Editor-in-Chief is retracting the article “Diagnosis of rejection after liver transplantation: use of phosphorus-31 magnetic resonance spectroscopy (31P-MRS)” *Abdominal Imaging* (2012) 37: 788–794, DOI 10.1007/s00261-008-9451-1 because it contains information that was taken from an earlier published article in another journal (“In vivo and in vitro hepatic phosphorus-31 magnetic resonance spectroscopy and electron microscopy in chronic ductopenic rejection of human liver allografts” *Gut* (1998) 42: 735–43, DOI 10.1136/gut.42.5.735).

Please note that—as of January 2016—the journal name was changed from *Abdominal Imaging* to *Abdominal Radiology*.

---

The online version of the original article can be found under doi:  
[10.1007/s00261-008-9451-1](https://doi.org/10.1007/s00261-008-9451-1).

*Correspondence to:* Shiyuan Liu; *email:* laijiangtaotao@yahoo.com.cn