



Correction to: Anti-PD-1 antibody-activated Th17 cells subvert re-invigoration of antitumor cytotoxic T-lymphocytes via myeloid cell-derived COX-2/PGE₂

Qingsheng Li^{1,2} · Kevin E. Goggin¹ · SeonYeong Seo¹ · Jonathan M. Warawa^{1,3} · Nejat K. Egilmez^{1,2}

Published online: 18 February 2023
© Springer-Verlag GmbH Germany, part of Springer Nature 2023

Correction to: Cancer Immunology, Immunotherapy
<https://doi.org/10.1007/s00262-022-03285-3>

The original version of this article unfortunately contained a mistake. In the funding section, “BCC COBRE Functional Immunomics Core (FIC) funded by NIH Grant P20GM135004” was missing.

The correct funding section should be

Funding This work was supported by the Department of Defense Lung Cancer Research Program Idea award

W81XWH1910265 (NKE) and in part by the NIH NIGMS CoBRE award P20-GM135004 (QL). BCC COBRE Functional Immunomics Core (FIC) funded by NIH Grant P20GM135004.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00262-022-03285-3>.

✉ Qingsheng Li
qingsheng.li@louisville.edu

✉ Nejat K. Egilmez
nejat.egilmez@louisville.edu

¹ Department of Microbiology and Immunology, School of Medicine, University of Louisville, 505 S.Hancock St, Louisville, KY 40202, USA

² James Graham Brown Cancer Center, University of Louisville, Louisville, KY 40202, USA

³ Center for Predictive Medicine, University of Louisville, Louisville, KY 40202, USA