

Treatment of High-output Enterocutaneous Fistulas with a Vacuum-compaction Device. A Ten-year Experience

Daniel Edgardo Wainstein · Ernesto Fernandez ·
Daniel Gonzalez · Osvaldo Chara · Dario Berkowski

Published online: 29 January 2008
© Société Internationale de Chirurgie 2008

Erratum to: World J Surg
DOI: 10.1007/s00268-007-9235-8

inclusive dates of the study are reported to be 1985–2005.
The study was actually performed between 1995–2005.

In the following article, we would like to bring your attention to an error in the Methods section where the

The online version of the original article can be found under doi:
[10.1007/s00268-007-9235-8](https://doi.org/10.1007/s00268-007-9235-8).

D. E. Wainstein (✉) · D. Berkowski
Cirugía General, Hospital E. Tornú Ex Combatientes de
Malvinas 3002, Ciudad de, Buenos Aires 1427, Argentina
e-mail: dwainstein@telered.com.ar

E. Fernandez · D. Gonzalez
Terapia Intensiva, Hospital Churruca, Buenos Aires 1427,
Argentina

O. Chara
Department of Physiology and Biophysics, University of Buenos
Aires, School of Medicine, Buenos Aires, Argentina
e-mail: osvalchara@yahoo.com.ar