CORRECTION

Correction to: Epidural Balloon Placement for Protection of the Spinal Canal During Cryoablation of Paraspinal Lesions

Jeffrey Forris Beecham Chick¹ · Ravi N. Srinivasa¹ · Evan Johnson¹ ·
Matthew L. Osher¹ · Anthony Hage¹ · Joseph J. Gemmete¹

Published online: 20 February 2018

© Springer Science+Business Media, LLC, part of Springer Nature and the Cardiovascular and Interventional Radiological Society of Europe (CIRSE) 2018

Correction to:

Cardiovasc Intervent Radiol (2018) 41:350–354
<https://doi.org/10.1007/s00270-017-1815-x>

In the published article the first sentence under the section heading Case Reports (“This study was conducted with the institutional review board approval and complied with the

Health Insurance Portability and Accountability Act.”) is incorrect. That sentence should be replaced with: “Case reports are exempt from institutional review board approval at the authors’ institution. This study complied with the Health Insurance Portability and Accountability Act.”

The original article can be found online at <https://doi.org/10.1007/s00270-017-1815-x>.

✉ Jeffrey Forris Beecham Chick
chickj@med.umich.edu; jeffreychick@gmail.com

¹ Department of Radiology, Division of Vascular and Interventional Radiology, University of Michigan Health Systems, Michigan Medicine, 1500 East Medical Center Drive, Ann Arbor, MI 48109, USA