

Correction to: Radioembolization for Hepatocellular Carcinoma Arising in the Setting of a Congenital Extrahepatic Portosystemic Shunt (Abernethy Malformation)

Thomas Kroencke¹ · Marcus Murnauer² · Frank Alexander Jordan³ · Vera Blodow⁴ · Hannes Ruhnke¹ · Tina Schaller⁵ · Bruno Märkl⁵

Published online: 21 June 2018

© Springer Science+Business Media, LLC, part of Springer Nature and the Cardiovascular and Interventional Radiological Society of Europe (CIRSE) 2018

Correction to:
Cardiovasc Intervent Radiol
<https://doi.org/10.1007/s00270-018-1965-5>

Table 1, which appears below, was inadvertently left out of the published article.

The original article can be found online at <https://doi.org/10.1007/s00270-018-1965-5>.

✉ Thomas Kroencke
thomas.kroencke@klinikum-augsburg.de

¹ Department of Diagnostic and Interventional Radiology and Neuroradiology, Klinikum Augsburg, Stenglinstraße 2, 86156 Augsburg, Germany

² Department of General, Visceral and Transplant Surgery, Klinikum Augsburg, Augsburg, Germany

³ Department of Medical Oncology, Klinikum Augsburg, Augsburg, Germany

⁴ Department of Nuclear Medicine, Klinikum Augsburg, Augsburg, Germany

⁵ Institute of Pathology, Klinikum Augsburg, Augsburg, Germany

Table 1 Summary of cases with Abernethy malformation Type 1 in association with HCC

N	Author	Type of CEPS and additional features	Age	Gender	Histology	Therapy
1	Joyce et al., Br J Surg 1988; 75:1038–1039	Ib, coarctation of the aorta and patent ductus arteriosus	10	Female	HCC (G1)	Hepatic resection
2	Taïeb et al. Gastroenterol Clin Biol. 1998 Feb;22(2):246–247	I	Unknown	Unknown	HCC	Unknown
3	Lundstedt et al., Eur Radiol 2001; 11:2228–2231	Ib, Hepatitis B	51	Male	HCC, liver cirrhosis	Hepatic resection
4	Pichon et al., JPN J Clin Oncol 2003; 33(6):314–316	Ia	36	Female	HCC, no liver cirrhosis	Hepatic resection
5	Morotti et al., Semin Liver Dis 2007; 27:427–432	Ib, associated Turner syndrome	8	Female	HCC (G1), no liver cirrhosis	OLT
6	Lisovsky et al., Am J Surg Pathol 2011; 35:1381–1390	Ib	47	Male	HCC (G2), no liver cirrhosis	MWA and DEB-TACE
7		Ib	53	Male	HCC (G2), no liver cirrhosis	Hepatic resection
8	Scheuermann et al., Transpl Int. 2012;25(5):e67–e68	Ia	38	Female	HCC (G2), no liver cirrhosis	Hepatic resection followed by OLT
9	Gordon-Burroughs et al., Transplant Proc. 2014;46(7):2418–2421	Ib	61	Female	HCC (G2), no liver cirrhosis	Resection and OLT after recurrence in adenomatosis
10	Sharma et al., Hepatobiliary Pancreat Dis Int 2015;14:552–557	Ib, additional multiple FNH	31	Female	HCC (G3), no liver cirrhosis	TAE und MWA
11		Ib	49	Male	HCC (G2), no liver cirrhosis	Sorafenib
12		Ib	29	Male	HCC (G2), no liver cirrhosis	TAE followed by Sorafenib
13	Tacyildiz et al. J Clin Case Rep 2015; 5:504	Ib	5	Female	HCC, no liver cirrhosis	Right hepatectomy
14	Happaerts et al., Hepatology 2016;64(5):1800–1802	Ib, associated tetralogy of Fallot	27	Female	HCC-CC (G2)	Hepatic resection
15	Bendict et al., Pediatr Dev Pathol. 2017 20(4):354–362	Ib	1	Female	HCC, no liver cirrhosis	OLT
16	Current case	Ib	50	Male	HCC (G1), no liver cirrhosis	TARE, left hepatectomy

OLT orthotopic liver transplantation; *MWA* microwave ablation; *TARE* transarterial radioembolization; *TAE* transarterial embolization; *DEB-TACE* drug-eluting-bead transarterial chemoembolization