



Correction to: Recurrent Stenoses in Arteriovenous Fistula (AVF) for Dialysis Access: Cutting Balloon Angioplasty Combined with Paclitaxel Drug-Coated Balloon Angioplasty, an Observational Clinical Study (INSTITUTION Trial)

Zehao Tan¹ · Shaun Xavier Ju Min Chan¹ · Kun Da Zhuang¹ · Thijs Urlings² · Sum Leong¹ · Jasmine Ming Er Chua¹ · Ankur Patel¹ · Farah Gillan Irani¹ · Sivanathan Chandramohan¹ · Kiang Hiong Tay¹ · Karthikeyan Damodharan³ · Richard Houa Gong Lo¹ · Nanda Venkatanarasimha¹ · Chow Wei Too¹ · Bien Soo Tan¹ · Chieh Suai Tan⁴ · Tze Tec Chong⁵ · Hlaing Hlaing Win¹ · Abdul Syafiq Bin Abdul Rahman¹ · Muhammad Syadad Bin Sulaiman¹ · Apoorva Gogna¹

Published online: 15 February 2022

© Springer Science+Business Media, LLC, part of Springer Nature and the Cardiovascular and Interventional Radiological Society of Europe (CIRSE) 2022

Correction to:
Cardiovasc Intervent Radiol
<https://doi.org/10.1007/s00270-021-03030-w>

The affiliations for two of the authors were mistakenly switched in the initial publication prior to revision on 15 February 2022. The affiliation for the author “Tan Chieh Suai” should be “Department of Renal Medicine” and “Chong Tze Tec” should be “Department of Vascular Surgery”.

The original article can be found online at <https://doi.org/10.1007/s00270-021-03030-w>.

✉ Zehao Tan
tan.zehao@singhealth.com.sg

- ¹ Department of Vascular and Interventional Radiology, Singapore General Hospital, Singapore, Singapore
- ² Department of Radiology, Haaglanden Medical Center, The Hague, The Netherlands
- ³ Department of Vascular and Interventional Radiology, Madras Institute of Orthopedics and Traumatology (MIOT) Hospitals, Chennai, India
- ⁴ Department of Renal Medicine, Singapore General Hospital, Singapore, Singapore
- ⁵ Department of Vascular Surgery, Singapore General Hospital, Singapore, Singapore