



Correction to: *Coraliitalea coralii* gen. nov., sp. nov., a Marine Bacterium of the Family *Flavobacteriaceae* Isolated from the Hard Coral *Galaxea fascicularis*

Jaewoo Yoon¹ · Mina Yasumoto-Hirose^{2,4} · Hiroaki Kasai³

Published online: 7 May 2018
© Springer Science+Business Media, LLC, part of Springer Nature 2018

Correction to: Current Microbiology
<https://doi.org/10.1007/s00284-017-1403-y>

In the original version of this paper, the Chemotaxonomic Characteristics in the Results and Discussion section and legend of Table 2 given in the above paper are incorrect. These errors are corrected with this erratum.

Chemotaxonomic Characteristics

As shown in Table 2, the predominant cellular fatty acids of strain 04OKA-3-121^T were identified as iso-C15:0, iso-C15:1 G, and summed feature 3 (C16:1 $\omega 7c$ and/or C16:1 $\omega 6c$). On the basis of the fatty acid composition, strain 04OKA-3-121^T could be differentiated from the phylogenetically closest taxa such as *P. thermophila* KCTC 22016^T, *Spongiimicrobium salis* KCTC 42753^T, *Pricia antarctica* ZS1-8^T, *Z. galactanivorans* DSM 12802^T, *K. aquimaris* KCTC 22188^T, and *M. ruestringensis* DSM 13258^T (Table 2).

Legend of Table 2

7—*Muricauda ruestringensis* DSM 13258^T [15]

The original article can be found online at <https://doi.org/10.1007/s00284-017-1403-y>.

✉ Jaewoo Yoon
jwyoon@kmu.ac.kr

¹ College of Pharmacy, Keimyung University,
1095 Dalgubeoldaero, Dalseo-Gu, Daegu 42601,
Republic of Korea

² Marine Biotechnology Institute, 3-75-1 Heita, Kamaishi,
Iwate 026-0001, Japan

³ Marine Biosciences Kamaishi Research Laboratory, Kitasato
University, 160-4 Utou, Okirai, Sanriku-cho, Ofunato,
Iwate 022-0101, Japan

⁴ Present Address: Tropical Technology Plus, 12-75 Suzaki,
Uruma, Okinawa 904-2234, Japan