## CORRECTION



## Correction to: Development of an efficient transformation method by *Agrobacterium tumefaciens* and high throughput spray assay to identify transgenic plants for woodland strawberry (*Fragaria vesca*) using NPTII selection

Christopher J. Pantazis $^1 \cdot$  Sarah Fisk $^1 \cdot$  Kerri Mills $^2 \cdot$  Barry S. Flinn $^{1,2,3} \cdot$  Vladimir Shulaev $^4 \cdot$  Richard E. Veilleux $^2 \cdot$  Yinghui Dan $^{1,2,3}$ 

Published online: 26 February 2022

© Springer-Verlag GmbH Germany, part of Springer Nature 2022

Correction to: Plant Cell Rep (2013) 32:329-337 https://doi.org/10.1007/s00299-012-1366-1

In the Materials and Methods, we stated—in error—that the acetosyrigone added to inoculation medium was 200 mM, when it was actually 200  $\mu$ M. The error appears again in the Results and Discussion. Also in the Results and discussion is another error about acetosyringone concentration. We stated, "Zhao et al. (2004) reported that an *A. tumefaciens* density

of  $2 \times 10^8$  cfu ml<sup>-1</sup> in MS liquid medium supplemented with 20 mM acetosyringone (pH 5.4) efficiently produced transgenic octoploid strawberry plants." In reality Zhao et al. used 20  $\mu$ M.

The authors apologize for the errors.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1007/s00299-012-1366-1.

- ☑ Yinghui Dan yinghuidan@aol.com
- Institute for Advanced Learning and Research, 150 Slayton Avenue Danville, Danville, VA 24540, USA
- Department of Horticulture, Virginia Polytechnic Institute and State University, Blacksburg, VA 24061, USA
- Department of Forest Resources and Environmental Conservation, Virginia Polytechnic Institute and State University, Blacksburg, VA 24061, USA
- Department of Biological Sciences, University of North Texas, Denton, TX, USA

