Correction to: Diagnostic performance of CT for the detection of transmural bowel necrosis in non-occlusive mesenteric ischemia

Pierre Verdot¹ • Paul Calame^{1,2} • Hadrien Winiszewski³ • Franck Grillet¹ • Alexandre Malakhia¹ • Zaher Lakkis⁴ • Maxime Ronot⁵ • Sebastien Pili-Floury⁶ • Gael Piton³ • Eric Delabrousse^{1,2}

Published online: 12 March 2021
© European Society of Radiology 2021

Correction to: European Radiology

<https://doi.org/10.1007/s00330-021-07728-w>

The original version of this article, published on 14 February 2021, unfortunately contained a mistake. The following correction has therefore been made in the original: Paul Calame is affiliated with two institutions. The corrected author list is given above, the corrected affiliations below. The original article has been corrected.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s00330-021-07728-w>

✉ Paul Calame
p.calame@chu-besancon.fr

¹ Department of Radiology, University of Bourgogne Franche-Comté, CHRU Besançon, 25030 Besançon, France

² EA 4662 Nanomedicine Lab, Imagery and Therapeutics, University of Franche-Comté, Besançon, France

³ Medical Intensive Care Unit, University of Bourgogne Franche-Comté, CHRU Besançon, 25030 Besançon, France

⁴ Digestive Surgery Unit, University of Bourgogne Franche-Comté, CHRU Besançon, 25030 Besançon, France

⁵ Department of Radiology, Hôpital Beaujon, APHP.Nord, Université de Paris, 92110 Clichy, France

⁶ Surgical Intensive Care Unit, University of Bourgogne Franche-Comté, CHRU Besançon, 25030 Besançon, France