



Correction to: Prostate volume prediction on MRI: tools, accuracy and variability

Dimitri Hamzaoui¹ · Sarah Montagne^{2,3,4}  · Benjamin Granger^{5,6} · Alexandre Allera² · Malek Ezziane² · Anna Luzurier² · Raphaëlle Quint² · Mehdi Kalai² · Nicholas Ayache¹ · Hervé Delingette¹ · Raphaële Renard-Penna^{2,3,4}

Published online: 23 March 2022

© The Author(s), under exclusive licence to European Society of Radiology 2022

Correction to: Eur Radiol

<https://doi.org/10.1007/s00330-022-08554-4>

The original version of this article, published on 15 February 2022, unfortunately contained a mistake. The name of the author Raphaële Renard-Penna was incorrectly given as Raphaële Renard Penna. The name was also tagged incorrectly in the HTML version of this article. The author's first name is Raphaële and the family name is Renard-Penna. The original article has been corrected.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s00330-022-08554-4>

✉ Sarah Montagne
sarah.montagne@aphp.fr

- ¹ Inria, Epione Team, Sophia Antipolis, Université Côte d'Azur, Nice, France
- ² Academic Department of Radiology, Hôpital Pitié-Salpêtrière, Assistance Publique des Hôpitaux de Paris, 47 bd de l'Hôpital, 75013 Paris, France
- ³ Academic Department of Radiology, Hôpital Tenon, Assistance Publique des Hôpitaux de Paris, Paris, France
- ⁴ GRC n° 5, Oncotype-Uro, Sorbonne Universités, Paris, France
- ⁵ Department of Public Health, Pitié-Salpêtrière Academic Hospital, AP-HP, Sorbonne Universités, AP-HP, CIC-P 1421 Paris, France
- ⁶ INSERM, Institut Pierre Louis d'Epidémiologie et de Santé Publique, UMR 1136, CIC-1421, Hôpital Pitié-Salpêtrière, AP-HP, Sorbonne Université, Paris, France