

The second observation of a live *Trimuricea* species (Octocorallia: Plexauridae)

Received: 30 September 2008 / Accepted: 25 January 2009 / Published online: 15 February 2009
© Springer-Verlag 2009




Fig. 1 Scanning electron micrographs of characteristic tripartite sclerites of *Trimuricea*



Fig. 2 A live colony of *Trimuricea* in Larak Island

supported by the Iranian National Center for Oceanography (INCO) and Hormozgan University, specially Dr. V. Chegini and Dr. Kamrani are appreciated for their supports.

References

- Gordon I (1926) Notes on a number of muriceid genera (Alcyonaria, Gorgonaceae), with special reference to spiculation. Proceedings of the scientific meetings of the Zoological Society of London, pp 509–531
- Grasshoff M (1999) The shallow water gorgonians of New Caledonia and adjacent islands (Coelenterata: Octocorallia). Senckenb Biol 78(1/2):1–245
- Grasshoff M, Bargibant G (2001) Coral Reef Gorgonians of New Caledonia. Institut de recherche pour le developpement, Paris
- Thomson JA, Simpson JJ (1909) An account of the alcyonarians collected by the Royal Indian Marine Survey Ship Investigator in the Indian Ocean; with a report on the species of *Dendronephthya* by Henderson WD II. The alcyonarians of the littoral area. The Indian Museum, Calcutta

✉ Samimi Namin (✉)

Iranian National Center for Oceanography, Etemadzadeh St., Fatemi Ave., P. O. Box 14155-4181, Tehran, Iran
e-mail: kaveh_s_n@yahoo.com

K. Samimi Namin · L. P. van Ofwegen
Nationaal Natuurhistorisch Museum, P.O. Box 9517, 2300 RA Leiden, The Netherlands

The genus *Trimuricea* (Octocorallia: Plexauridae) was established by Gordon (1926), with four species characterized by the presence of tripartite thornscales in the polyps (Fig. 1). The genus was not observed again until Grasshoff (1999) added a fifth species from New Caledonia, *T. caledonica*. Grasshoff and Bargibant (2001) were the first to show an underwater picture of a species of *Trimuricea*, that of *T. caledonica*. Here, for the second time, a live *Trimuricea* species is presented (Fig. 2). It was photographed and sampled from Larak Island in the Persian Gulf (Fig. 3). The living tissue is yellowish white, polyps are magenta, and sclerites are colorless. The species is still under investigation; it shows affinities with *T. reticulata* (Thomson and Simpson, 1909), described from the Andaman islands, Indian Ocean.




Fig. 3 Geographic location of Larak Island in the Strait of Hormuz

Acknowledgements The first author wants to thank Dr. H. Rezai for encouragement and support during field trips. The funding for field trips was