



# Correction: An assessment of microstructure, dentinal tubule occlusion and X-ray attenuation properties of Nd: YAG laser-enhanced titanium-doped phosphate glass and nano-hydroxyapatite pastes

Ensanya A. Abou Neel<sup>1,2</sup> · Hatem M. El-Damanhoury<sup>1</sup> · Kazi M. Zakir Hossain<sup>3</sup> · Hussain Alawadhi<sup>4</sup> · Ghada ALMisned<sup>5</sup> · H. O. Tekin<sup>6,7</sup> 

© The Author(s), under exclusive licence to Springer-Verlag GmbH Germany, part of Springer Nature 2024

**Applied Physics A (2024) 130:313**  
<https://doi.org/10.1007/s00339-024-07487-7>

In this article the author's name Hatem M. El-Damanhoury was incorrectly written as Hatem M. Aldamanhoury.

The original article has been corrected.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The online version of the original article can be found at <https://doi.org/10.1007/s00339-024-07487-7>

---

✉ Ensanya A. Abou Neel  
eabouneel@sharjah.ac.ae; e.abouneel@ucl.ac.uk

✉ H. O. Tekin  
htekin@sharjah.ac.ae; tekin765@gmail.com

<sup>1</sup> Restorative Dentistry Department, College of Dental Medicine, University of Sharjah, Sharjah, United Arab Emirates

<sup>2</sup> Biomaterials and Tissue Engineering, UCL Eastman Dental Institute, Royal Free Hospital, Rowland Hill Street, London, UK

<sup>3</sup> Department of Chemistry, University of Bath, Claverton Down, Bath BA2 7AY, UK

<sup>4</sup> Center for Advanced Materials Research, University of Sharjah, Sharjah, United Arab Emirates

<sup>5</sup> Department of Physics, College of Science, Princess Nourah Bint Abdulrahman University, P.O. Box 84428, 11671 Riyadh, Saudi Arabia

<sup>6</sup> Department of Medical Diagnostic Imaging, College of Health Sciences, University of Sharjah, 27272 Sharjah, United Arab Emirates

<sup>7</sup> Computer Engineering Department, Faculty of Engineering and Natural Sciences, Istinye University, 34396 Istanbul, Turkey