

A study of a turbulent boundary layer in stalled-airfoil-type flow conditions

Yvan Maciel · Karl-Stéphane Rossignol ·
Jean Lemay

Published online: 24 August 2006
© Springer-Verlag 2006

1 Erratum to: Exp Fluids (2006) DOI 10.1007/s00348-006-0182-1

In the original publication of this article there are some typographical errors in mathematical expressions.

We apologize for these mistakes. The correct equations are:

$$\delta \propto U_e^{-1/\Lambda} \quad (5)$$

Two paragraphs later (last sentence): $U_{zs} = U_e \delta^*/\delta$

$$\frac{d\delta/dx}{\delta} \frac{U_e}{dU_e/dx} = -\frac{1}{\Lambda} = \text{constant} \text{ or } d\delta/dx = \text{constant} \quad (9)$$

$$\Pi_{zs} = \beta_{zs}/\gamma_{zs} \quad (10)$$

The online version of the original article can be found at
<http://dx.doi.org/10.1007/s00348-006-0182-1>.

Y. Maciel (✉) · K.-S. Rossignol · J. Lemay
Mechanical Engineering Department, Laval University,
Quebec City, QC, Canada G1K 7P4
e-mail: ymaciel@gmc.ulaval.ca
URL: <http://www.gmc.ulaval.ca>