Correction to: Future changes in Atlantic hurricanes with the rotated-stretched ARPEGE-Climat at very high resolution

Fabrice Chauvin¹ · Romain Pilon² · Philippe Palany² · Ali Belmadani²

Published online: 14 January 2021
© Springer-Verlag GmbH Germany, part of Springer Nature 2021

Correction to: Climate Dynamics (2020) 54:947–972
<https://doi.org/10.1007/s00382-019-05040-4>

In the original version of the article contained errors in the panel labels of Figs. 8 and 10. The correct Figs. 8 and 10 is given in this correction article.

The original article can be found online at <https://doi.org/10.1007/s00382-019-05040-4>.

✉ Fabrice Chauvin
fabrice.chauvin@meteo.fr

¹ Centre National de Recherches Météorologiques, Météo-France/CNRS, Meteo-France 42 avenue G. Coriolis, 31057 Toulouse Cedex 1, France

² Direction InterRégionale Antilles-Guyane, Météo-France, Fort-de-France, France

Fig. 8 Top: Changes in the annual number of TC days (left) and TC genesis (right) densities between the future (AMIP-RCP85) and the present (AMIP-HIST) climate. Units are number of TC days per 20 years (left) or genesis per 50 years (right) by 5°×5° square area.

Bottom: Changes in the GPI (left) and CYGP (right) for the July–November season. Mean present climatology is reported as green contours. Dots and hatchings are for 95 and 99% significance levels respectively. Units are genesis pre 50 years per 5°×5° square area

Fig. 10 Changes in the TC days between the future (AMIP-RCP85) and the present (AMIP-HIST) climate for months of July (top), August (middle) and September (bottom). Units are number of TC days per 20 years per 5°×5° square area. Dots (resp. hatching) are for 95% (resp. 99%) significance level