Correction to: The G178A polymorphic variant of INSL3 may be linked to cryptorchidism among Egyptian pediatric cohort

Sohier S. Abou EL-Ella¹ · Maha Atef Tawfik¹ · Tamer Fakhry Abd El-Aziz² · Ahmed Mohammed Ahmed Shalaby³ · Naglaa Fathy Barseem¹

Published online: 21 September 2020
© Springer-Verlag GmbH Germany, part of Springer Nature 2020

Correction to: Pediatric Surgery International
<https://doi.org/10.1007/s00383-020-04735-8>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

In the original publication, Fig. 1 legend was incorrectly published. The correct legend should read as follows.

Fig. 1 Gel electrophoresis of G178A-INSL3 polymorphism. Interpretation, from left against 100 bp ladder. *P* patient, *C* control. GG genotype gave a band at 377 bp (lane 2). GA genotype gave two bands at 480 bp and 377 bp (lanes 3, 4). GG genotype gave a band at 377 bp (lanes 5, 6, 7, 8)

The original article can be found online at <https://doi.org/10.1007/s00383-020-04735-8>.

✉ Naglaa Fathy Barseem
naglaa_b2000@yahoo.com

¹ Genetic and Endocrinology Unit, Pediatric Department, Faculty of Medicine, Menoufia University, Menoufia, Egypt

² Department of Pediatric Surgery, Menoufia University, Menoufia, Egypt

³ Faculty of Medicine, Menoufia University, Menoufia, Egypt