Correction to: Long-term clinical outcomes and follow-up status in Japanese patients with familial adenomatous polyposis after radical surgery: a descriptive, retrospective cohort study from a single institute

Akihito Babaya¹ · Tomoki Yamano¹ · Takaaki Matsubara¹ · Yuya Takenaka¹ · Jihyung Song¹ · Kei Kimura¹ · Michiko Yasuhara¹ · Kozo Kataoka¹ · Naohito Beppu¹ · Motoi Uchino² · Masataka Ikeda¹ · Hiroki Ikeuchi² · Nagahide Matsubara³ · Kazuo Tamura⁴ · Naohiro Tomita¹

Accepted: 29 October 2020 / Published online: 10 November 2020
© Springer-Verlag GmbH Germany, part of Springer Nature 2020

Correction to: International Journal of Colorectal Disease (2020) 35:675–684
<https://doi.org/10.1007/s00384-020-03524-y>

In Table 4 of the original publication, an error occurred where two values were switched inadvertently. The Wexner score for duration after surgery (year) for “20 and over” should be **5.32** and for “less than 20” should be **8.56**. The corrected table is shown as follows:

The online version of the original article can be found at <https://doi.org/10.1007/s00384-020-03524-y>

✉ Tomoki Yamano
yamanot@hyo-med.ac.jp

¹ Division of Lower Gastrointestinal Surgery, Department of Surgery, Hyogo College of Medicine, 1-1 Mukogawa-cho, Nishinomiya, Hyogo 663-8501, Japan

² Division of Surgery, Department of Inflammatory Bowel Disease, Hyogo College of Medicine, 1-1 Mukogawa-cho, Nishinomiya, Hyogo 663-8501, Japan

³ Department of Surgery, Amagasaki Chuo Hospital, 1-21-1 Shioe, Amagasaki, Hyogo 660-0808, Japan

⁴ Department of Life Science, Faculty of Science and Engineering, Kindai University, 3-4-1 Kowakae, Higashiosaka, Osaka 577-8502, Japan

Table 4 Factors associated with fecal incontinence by univariate analysis

Factors	Category	Soiling		Odds ratio	<i>P</i> * value	Wexner score	<i>P</i> ** value
		(−)	(+)				
Gender	Male	5	24	1	0.9	7.28	0.8
	Female	4	21	1.1		7.21	
Age (year)	35 and over	8	21	1	0.02	6.34	0.18
	less than 35	1	24	9.1		8.28	
Date of operation	1986~1999	6	18	0.3	0.14	5.92	0.09
	2000~2017	3	27	1		8.3	
Duration after surgery (year)	20 and over	6	16	0.28	0.09	5.32	0.02
	less than 20	3	29	1		8.56	
Final surgical procedure	IAA	0	3	8.8×10^{14}	0.002	9.7	0.02
	IPAA	4	41	3.0×10^8	< 0.0001	8.0	0.003
	IACA	1	1	3.0×10^7	0.1	1.5	0.2
	IRA	4	0	1	-	0	-

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.