

## **Erratum to: Long-term outcome after sirolimus-eluting stents versus bare metal stents in patients with Diabetes mellitus: a patient-level meta-analysis of randomized trials**

**Antoinette de Waha · Alban Dibra · Sebastian Kufner ·  
Dietrich Baumgart · Manel Sabate · Aleardo Maresta ·  
Albert Schömig · Adnan Kastrati**

Published online: 12 August 2011  
© Springer-Verlag 2011

**Erratum to: Clin Res Cardiol (2011) 100:561–570  
DOI 10.1007/s00392-010-0278-8**

The original version of this article unfortunately contains two mistyped values in Figs. 2b and 5a.

The correct figures are shown as follows:

---

The online version of the original article can be found under doi:[10.1007/s00392-010-0278-8](https://doi.org/10.1007/s00392-010-0278-8).

---



A. de Waha · A. Dibra · S. Kufner ·  
A. Schömig · A. Kastrati (✉)  
Deutsches Herzzentrum, Technische Universität,  
Lazarettstr. 36, 80636 Munich, Germany  
e-mail: [kastrati@dhm.mhn.de](mailto:kastrati@dhm.mhn.de)

D. Baumgart  
Preventicum-Klinik für Diagnostik, Essen, Germany

M. Sabate  
Cardiovascular Institute, Hospital de la Santa Creu i Sant Pau,  
Barcelona, Spain

A. Maresta  
Division of Cardiology, Interventional Center,  
S. Maria delle Croci Hospital, Ravenna, Italy

**Fig. 2**



**Fig. 5**

