



Correction to: Fluid intake and urinary osmolality in pediatric patients with functional constipation

Sabine Nunes Boilesen¹ · Francine C. Dias¹ · Soraia Tahan¹ · Lígia C. F. L. Melli¹ · Mauro Batista de Morais¹

Published online: 13 October 2021
© Springer-Verlag GmbH Germany, part of Springer Nature 2021

Correction to: European Journal of Nutrition
<https://doi.org/10.1007/s00394-021-02657-2>

The original version of this article unfortunately contained a mistake in the row ‘only boys’ under the heading ‘Dietary fiber (g/day)’ and in the row ‘only girls’ under the heading ‘Carbohydrate’ (g/day).

The corrected Table 2 is given below.

The original article can be found online at <https://doi.org/10.1007/s00394-021-02657-2>.

✉ Mauro Batista de Morais
maurobmorais@gmail.com

Sabine Nunes Boilesen
sabine.boilesen@gmail.com

Francine C. Dias
francine.canovas@gmail.com

Soraia Tahan
s.tahan@uol.com.br

Lígia C. F. L. Melli
ligiamelli@gmail.com

¹ Division of Pediatric Gastroenterology, Escola Paulista de Medicina, Universidade Federal de São Paulo, Rua Pedro de Toledo, 781-12 Andar, São Paulo, SP 04039-032, Brazil

Table 2 Dietary data and water intake of children in the functional constipation group and control group

	Group		<i>p</i> ^c
	Constipation ^a	Control ^b	
<i>Energy and macronutrient intake</i>			
Energy (Kcal/day)			
Girls and boys	1493.0 (1096.3; 1838.8)	1853.0 (1412.5; 2492.0)	0.003
Only girls	1365.0 (906.0; 1527.0)	1610.0 (1303.0; 2434.8)	0.033
Only boys	1540.0 (1102.5; 1928.0)	2092.0 (1586.0; 2531.0)	0.005
Carbohydrate (g/day)			
Girls and boys	208.6 (153.8; 264.2)	261.1 (186.9; 370.3)	0.008
Only girls	179.6 (143.1; 250.1)	226.8 (173.7; 355.4)	0.078
Only boys	210.4 (168.9; 286.1)	313.2 (233.8; 382.6)	0.011
Protein (g/day)			
Girls and boys	59.3 (38.2; 87.3)	82.5 (54.0; 103.8)	0.006
Only girls	53.1 (34.1; 79.2)	76.4 (49.2; 102.7)	0.061
Only boys	60.0 (38.6; 89.1)	83.7 (61.0; 108.7)	0.013
Fat (g/day)			
Girls and boys	42.2 (30.8; 57.2)	48.7 (36.5; 66.2)	0.142
Only girls	35.9 (22.5; 55.2)	44.1 (28.8; 64.9)	0.247
Only boys	43.0 (33.3; 66.2)	55.0 (40.9; 67.4)	0.110
Dietary fiber (g/day)			
Girls and boys	16.8 (11.9; 21.6)	23.8 (15.5; 33.1)	0.014
Only girls	17.1 (14.7; 20.8)	23.3 (15.5; 37.7)	0.078
Only boys	16.7 (10.2; 26.2)	23.9 (14.3; 38.6)	0.066
<i>Water intake</i>			
Tap water (plain water) (mL/day)			
Girls and boys	500.0 (250.0; 1000.0)	1,000.0 (520.0; 1,350.0)	0.016
Only girls	750.0 (200.0; 1100.0)	800.0 (550.0; 1500.0)	0.128
Only boys	500.0 (250.0; 1000.0)	1000.0 (510.0; 1000.0)	0.021
Water from beverages and juices (mL/day)			
Girls and boys	666.8 (321.0; 917.4)	812.3 (593.5; 1018.2)	0.021
Only girls	609.4 (276.6; 883.5)	814.2 (514.2; 1062.0)	0.011
Only boys	727.7 (573.9; 1055.9)	789 (628.7; 1006.7)	0.821
Water contained in foods (mL/day)			
Girls and boys	293.3 (182.1; 415.3)	370.1 (245.1; 539.5)	0.025
Only girls	296.4 (186.2; 419.1)	380.6 (199.3; 535.0)	0.132
Only boys	290.2 (154.3; 410.4)	368.0 (264.1; 544.7)	0.172
Total water (mL/day)			
Girls and boys	1649.8 (1244.1; 2010.0)	2177.8 (1598.9; 2581.4)	<0.001
Only girls	1651.0 (1283.3; 2109.1)	2354.5 (1617.6; 2724.6)	0.008
Only boys	1648.5 (1137.5; 2015.9)	2149.5 (1459.7; 2469.8)	0.045
Total water/energy (mL/Kcal)			
Girls and boys	1.0 (0.8; 1.7)	1.1 (0.9; 1.5)	0.562
Only girls	1.0 (0.8; 1.3)	1.1 (0.9; 1.3)	0.682
Only boys	1.2 (0.7; 1.8)	1.3 (0.9; 1.5)	0.993
Total water/dietary fiber (mL/g)			
Girls and boys	97.4 (59.8; 153.6)	94.4 (66.2; 142.9)	0.969
Only girls	91.3 (61.0; 184.1)	105.3 (68.0; 150.7)	0.905
Only boys	110.6 (54.7; 139.5)	88.4 (66.1; 136.4)	0.878

^aNumber in constipation group: *n* = 36; girls: *n* = 11 and boys: *n* = 25^bNumber in control group: *n* = 93; girls: *n* = 52; boys: *n* = 41^cMann–Whitney test; median and percentiles 25 and 75