



Correction to: No clinical advantage with customized individually made implants over conventional off-the-shelf implants in total knee arthroplasty: a systematic review and meta-analysis

Abu Z. Saeed¹ · Tahir Khaleeq¹ · Usman Ahmed² · Randeep S. Aujla³ · Tarek Boutefnouchet⁴ · Peter D'Alessandro⁵ · Shahbaz S. Malik²

Published online: 6 January 2024
© Springer-Verlag GmbH Germany, part of Springer Nature 2024

Correction to:
Archives of Orthopaedic and Trauma Surgery
<https://doi.org/10.1007/s00402-023-05090-8>.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

In the original version of this article, the author name Randeep S. Aujla was incorrectly written as Randeep Ajula.

The original article can be found online at <https://doi.org/10.1007/s00402-023-05090-8>.

✉ Abu Z. Saeed
abusaeed@nhs.net

Tahir Khaleeq
tahirkhaleeq@nhs.net

Usman Ahmed
uahmed@nhs.net

Randeep S. Aujla
randeep.aujla@hotmail.co.uk

Tarek Boutefnouchet
tarek.boutefnouchet@uhb.nhs.uk

Peter D'Alessandro
peter@coastalorthopaedics.com.au

Shahbaz S. Malik
shahb.malik@gmail.com

- ¹ The Robert Jones and Agnes Hunt Orthopaedic Hospital, Gobowen, Oswestry SY10 7AG, UK
- ² Worcestershire Acute Hospitals NHS Trust, Worcester, UK
- ³ University Hospitals of Leicester NHS Trust, Leicester, UK
- ⁴ University Hospitals Birmingham NHS Foundation Trust, Birmingham, UK
- ⁵ Orthopaedic Research Foundation of Western Australia, Medical School, Discipline of Surgery, University of Western Australia, Perth, Australia