



Correction to: Is it worth to insert uterine pack instead of Bakri balloon to control postpartum hemorrhage after vaginal delivery in hypertensive patients?

Elsayed Elshamy^{1,2} · Mohamed Rezk^{1,3} · Abd-Elhamid Shaheen¹

Published online: 20 May 2023
© Springer-Verlag GmbH Germany, part of Springer Nature 2023

Correction to:
Archives of Gynecology and Obstetrics (2023)
307:1195–1201
<https://doi.org/10.1007/s00404-022-06543-y>

this statement. Abd-Elhamid Shaheen has not responded to correspondence from the Publisher about this statement.

The Editor-in-Chief is issuing an Editorial Expression of Concern for this article. Concerns have been raised about the data presented in Fig. 1 and Tables 1, 2 and 3. The authors have not provided the original data. Readers are advised to interpret the results and conclusions with caution. Elsayed Elshamy and Mohamed Rezk do not agree with

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00404-022-06543-y>.

✉ Elsayed Elshamy
s_shamy77@yahoo.com

¹ Department of Obstetrics and Gynecology, Menoufia University Hospital, Menoufia, Egypt

² Department of Obstetrics and Gynecology, King Abdul-Aziz Airbase Hospital, 041/9 Prince Sattam Street, Al-Khobar, Dhahran, Saudi Arabia

³ Department of Obstetrics and Gynecology, Rabia Hospital, Riyadh, Saudi Arabia