CORRECTION



Correction to: Supplementation with vitamin D improves the embryo quality in *in vitro* fertilization (IVF) programs, independently of the patients' basal vitamin D status

Giorgio Maria Baldini¹ · Michele Russo² · Sara Projetti² · Gianpiero Forte² · Domenico Baldini¹ · Giuseppe Trojano³

© The Author(s) 2024

Correction to: Archives of Gynecology and Obstetrics https://doi.org/10.1007/s00404-024-07473-7

In this article the authors name Giorgio Maria Baldini and Domenico Baldini were incorrectly written as Baldini Giorgio Maria and Baldini Domenico.

The original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long

as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1007/s00404-024-07473-7.

The original online version of this article was revised due to change in author group.

 Michele Russo m.russo@lolipharma.it

Published online: 03 May 2024

- Momò Fertilife Clinic, Bisceglie, Italy
- ² R&D Department, Lo.Li. Pharma, 00156 Rome, Italy
- Department of Maternal and Child Health, Madonna Delle Grazie Hospital, 75100 Matera, Italy

