Correction to: Two different therapies for the middle turbinate during endoscopic sinus surgery for chronic rhinosinusitis

Meichan Zhu¹ · Yongyi Yan¹ · Huicheng Gong¹ · Yunwen Wu¹ · Guojie Tan¹

Published online: 1 August 2020

© Springer-Verlag GmbH Germany, part of Springer Nature 2020

**Correction to: European Archives of
Oto-Rhino-Laryngology**
<https://doi.org/10.1007/s00405-020-06184-4>

In the original publication of the article, Fig. 1a was missing and caption of Fig. 1a was published as caption of Fig. 1b. The correct Fig. 1 and captions are provided below.

The original article was updated.

The original article can be found online at <https://doi.org/10.1007/s00405-020-06184-4>.

✉ Meichan Zhu
zhumeichan@126.com

✉ Yongyi Yan
yungyi@188.com

¹ Department of Otorhinolaryngology, Guangzhou Twelfth People's Hospital (Guangzhou Otolaryngology-Head and Neck Surgery Hospital), Tianhe District, No 1. Tianqiang Road, Guangzhou 510620, Guangdong, China

a

Middle turbinate	score	Left	Right
Normal	0		
Synechia/lateralized	1-2		
Middle Meatus/MMA			
Healthy	0		
Narrowing/Closure	1-2		
Maxillary sinus contents	1-2		
Ethmoid Cavity			
Healthy	0		
Crusting	1-2		
Mucosal Edema	1-2		
Polypoid Change	1-2		
Polyposis	1-2		
Secretions	1-2		
Secondary Sinuses			
Frontal Recess/Sinus	0-2		
Sphenoid Sinus	0-2		
Total Score	16	18F	
	18S	20	

Fig. 1 **A** POSE scoring system. The scoring criteria for POSE were as follows: synechia to the lateral wall or lateralized middle turbinate=1 point each; narrow middle meatus=1 or closed middle meatus=2; maxillary sinus with mucoid secretions/edema=1 or with purulence/allergic mucin=2; ethmoid cavity with few isolated crusts=1 or with diffuse or occluding crusting=2; ethmoid cavity with mucosal edema (loss of discernible underlying bony contours in some areas)=1 or with mucosal edema (diffuse loss of discernible underlying bony contours)=2; ethmoid cavity with polypoid changes partially filling the cavity=1 or entirely filling the cavity=2; ethmoid cavity with polyposis beyond the middle meatus but not to the inferior turbinate=1 or beyond the upper border of the inferior turbinate=2; ethmoid cavity with thin/mucoid secretions=1 or with purulent/allergic mucin=2; narrowed frontal recess/sinus or edema present in the recess/sinus=1 or obstructed/infected/severely inflamed frontal recess/sinus=2; and narrowed sphenoid sinus or edema present in the sinus=1 or obstructed/infected/severely inflamed sphenoid sinus=2. The total scores were based on the extent of surgery: 16=total score (middle meatal antrostomy+ethmoidectomy); 18F=total score (middle meatal antrostomy+ethmoidectomy+frontal sinusotomy); 18S=total score (middle meatal antrostomy+ethmoidectomy+sphenoidotomy); 20=total score (middle meatal antrostomy+ethmoidectomy+sphenoidotomy+frontal sinusotomy). MMA=middle meatal antrostomy; POSE=perioperative sinus endoscopy. **B** Middle turbinate treatment. a Injection saline of middle turbinate. b Incision anterior middle turbinate. c Incision inferior middle turbinate. d Separation of the bone of middle turbinate. e Take out the bone of middle turbinate. f Take out broken bone of middle turbinate. g Take out remainder of bone middle turbinate. h Restoration of middle turbinate. i Packing gelatin sponge between the middle turbinate and nasal septum. j Packing gelatin sponge between the lateral nasal wall and middle turbinate

noid sinus or edema present in the sinus=1 or obstructed/infected/severely inflamed sphenoid sinus=2. The total scores were based on the extent of surgery: 16=total score (middle meatal antrostomy+ethmoidectomy); 18F=total score (middle meatal antrostomy+ethmoidectomy+frontal sinusotomy); 18S=total score (middle meatal antrostomy+ethmoidectomy+sphenoidotomy); 20=total score (middle meatal antrostomy+ethmoidectomy+sphenoidotomy+frontal sinusotomy). MMA=middle meatal antrostomy; POSE=perioperative sinus endoscopy. **B** Middle turbinate treatment. a Injection saline of middle turbinate. b Incision anterior middle turbinate. c Incision inferior middle turbinate. d Separation of the bone of middle turbinate. e Take out the bone of middle turbinate. f Take out broken bone of middle turbinate. g Take out remainder of bone middle turbinate. h Restoration of middle turbinate. i Packing gelatin sponge between the middle turbinate and nasal septum. j Packing gelatin sponge between the lateral nasal wall and middle turbinate

b **Fig. 1** (continued)

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.